Department of Environment and Natural Resources BIODIVERSITY MANAGEMENT BUREAU

Quezon Avenue, Diliman, Quezon City Telefax No. 924-6031 local 220

Date : October 27, 2020 Quotation No. : 0319-10-2020

Company Name			
Address Please quote your lowest price on the item/s li	eted helow stating the st	nortest time of delivery	
Please quote your lowest price on the learns in I submit your qutotation duly signed by your representative not later than			
Assembly and expensive authorization of designation of designations.	fac	bullatur	
	RACHEL E JE	NINE D. ABUEL	
		Secretariat	
1. ALL ENTRIES MUST BE TYPEWRITTEN OR PRINTED LEGIBLY 2. DELIVERY PERIOD WITHIN 15 CALENDAR DAYS 3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIE 8. MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPT, BY THE PROCURING ENTITY 4. PRICE VALIDITY SHALL BE FOR A PERIOD OF 30 CALENDAR DAYS 5. PHIL-GEPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION 6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATOF THE PRODUCT BEING OFFERED	ANCE		
ITEMS/DESCRIPTIONS	QTY:/ UNIT	UNIT PRICE	TOTAL PRICE
0.	CIVIT		0.00
USB 32GB, 3.0	50 Pcs.	P	P
2 USB 16GB, 2.0	50 Pcs.	P	P
	200 Pcs.	P. P	P
A	7 Pcs.	P	Paurice Rest
1	21 Pcs.	P andrea &	P
5 Epson Ink 001 (M,C,Y) Printer (2-sided printing, borderless and duplex printing, USB,		P	P
6 Wi-fi, Wi-fi Direct, Print, Scan, Copy)		10/06/3	365 pages, explode
7 1 TB Hard Drive 3.0 USB	25 Pcs.	P	P
8 6 TB Hard Drive 3.0 USB	2 Pcs.	P	P sloot disk M
Portable Scanner (Auto-documents Feeder, 3.0 USB, duplex scanning)	4 Pcs.	Pgaining a rodu s	Per to smoltantings
10 UPS (650VA, LED status display)	6 Pcs.	P	P 11 - 12 12 - and 12
			Pall Color
NOTE: PLEASE SEE ATTACHED COMPLETE SPECIFICATIONS		r uiossy)	350 - 400 gant (
NOIL ILLIAL SEL ANNOUND COMME	il von benedit	ling, smydi sewn, so	
ABC: P320,400.00		totls	national dise
		ABC: F 900,0	
Bidders must submit the following requirements:			
DTI/SEC Registration Certificate Mayor's Permit		the free surely ever	get freeze fram habbil
3. PHILGEPS Certificate of Registration		111.7 410.01.0	Bridge St. Company A.
4. BIR Certificate of Registration			
Brand : Delivery Period :			
Warranty : Price Validity :			
	We quote you		
After having carefully read and accepted your Request for Quotation, I/on the item at prices noted above.			
you make a street	Request to Outstan.		

e-mail address

Date

Complete Specifications of the following Computer Hardwares:

	GB, 3.0
	GB storage capacity
2. 3.0	connectivity
USB 160	GB, 2.0
1. 160	GB storage capacity
2. 2.0	connectivity
DVD-RV	V CD
1. 4.7	GB storage capacity
THE RESERVE OF THE PERSON NAMED IN	D-rewritable storage media
	write speed
	0mm/4.7 inch dimension
Epson I	nk 001 (Black)
1. Bla	
2. Cor	mpatible for Epson Printers L4150, L4160, L6160, L6170, L6190
Epson I	nk 001 (M, C, Y)
	genta, Cyan & Yellow Ink
	mpatible for Epson Printers L4150, L4160, L6160, L6170, L6190
Printer	(2-sided printing)
	derless and duplex printing
	B, Wi-Fi & Wi-Fi Direct
3. prir	nt, scan & copy
4. spil	ll-free ink refilling
	5.9 x 1200 mm maximum paper size
	" color LCD Control Panel
Print	
1. 576	50 x 1440 dpi maximum resolution
	comatic 2-sided printing
	directional & Uni-directional printing
	50 x 1440 dpi maximum resolution
Scan	
1. Flat	tbed color image scanner
	ntact image sensor
	00 x 2400 dpi optical resolution
Сору	
	mal/Best Copy Quality
The state of the s	o-fit Function
Z. Aut	

. 1TB Hard Dri	
	age capacity
	connectivity
	s multiple connection types (USB 3.0 & Type C)
5. Multiple	operating system compatibility (Windows, Mac)
. 6TB Hard Dr	ive 3.0 USB
1. 6TB stor	age capacity
2. 3.0 USB	connectivity
3. 160 mb	s max data transfer
9. Portable Sca	
	ocument Feeder (ADF)
2. 3.0 USB	Connectivity
3. Duplex	Scanning
4. compa	t size
5. dedicat	ed card slot
6. 20-shee	et ADF capacity
7. Docum	ent skew correction
8. 600 x 6	00 dpi optical resolution
9. 288 x 8	8.5 x 51 mm (W x D x H)
10. UPS	
1. 650 VA	Power Output Capacity
2. LED Sta	itus display
3. 230V N	ominal Input and Output Voltage
4. Audibl	
5. 115 x 2	57 x 200 mm (W x D x H)
6. Up to 8	3 hrs typical recharge time
7. 5A ma	ximum input current