BIODIVERSITY MANAGEMENT BUREAU

Quezon Avenue, Diliman, Quezon City Telefax No. 924-6031 local 220

Date: Quotation No: 28 Oct 21 0345-10-21

REQUEST FOR QUOTATION

Company Name	
 Address	

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than

> NANCY R. CORP sids and awards Committee Chairperson,

- NOTES: 1. ALL ENTRIES MUST BE TYPEWRITTEN OR PRINTED LEGIBLY.
 2. DELIVERY PERIOD IS WITHIN 15 CALENDAR DAYS.
 3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS/ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY.
 4. PRICE VALIDITY SHALL BE VALID FOR A PERIOD OF 30 CALENDAR DAYS.
 5. PHIL-GEPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION.
 6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED.

Title of Procurement: Supply and Delivery of Various I.T Supplies and Equipment (e.g. Desktop CPU, Back-UPS, etc.)

Purpose:

For official use of BD Corridor, NPMU Staff

Approved Budget for the Contract (ABC):

P 612,500.00

TEM NO.	ITEMS/DESCRIPTIONS	QTY./ UNIT	UNIT PRICE	TOTAL PRICE
1	Desktop CPU Offered Brand/Model:	1 unit	P	P
2	Back-UPS Offered Brand/Model:	1 unit	P	P
3	USB Headset with Noise-Cancelling Mic Offered Brand/Model:	1 unit	P	P
4	Webcam Offered Brand/Model:	1 unit	P	P
5	Laptop Offered Brand/Model:	8 units	P	Р
6	Printer/Scanner Offered Brand/Model:	1 pc	P	Р
7	External Hard Drive (2TB) Offered Brand/Model:	2 pcs	P	P
8	Flash Drive (256GB) Offered Brand/Model:	2 pcs	P	P
9	Wireless Mouse Offered Brand/Model:	5 pcs	P	P
10	Wireless Keyboard Offered Brand/Model:	1 pc	P	P
11	Extension Cord (5 gang) Offered Brand/Model:	5 pcs	P	P
	* Kindly address all proposals to the Chairperson, Bids and Awards Committee Additional Requests from Procuring Entity: [] Please provide sample upon request of end-user [X] Please see full specifications/attached sample design for reference. [X] Other conditions to this request, please state: - For inquiries, please contact: 8924-6031 loc. 210/211 - Kindly attach the specifications of your offered brand per item Contract shall be awarded to the bidder per: [] Item basis [X] Lot basis			
	Bidders must submit the following requirements:* 1. DTI/SEC Registration Certificate 2. Mayor's Permit 3. PHILGEPS Certificate of Registration 4. BIR Certificate of Registration (2303) 5. Omnibus Sworn Statement Important Note: -For goods, conforme of the winning bidder must be done within seven (7) catendar days upon serving of the POPor services, conforme of the winning bidder must be done within fourteen (14) calendar days upon serving of the JONotarization of the OSS should be compiled with after the award of the confract or POJJO but before payment pursuant to item 6.3 of GPPB 09- 2020. *Non-submission of these requirements may be grounds for disqualification from the bidding process.			

*Non-submission of the	nese requirements may b	e grounds for disqualification from the bluding process.		
Brand Delivery Period Warranty Price Validity			After having carefully Request for Quotation at prices noted above	read and accepted your n, I/We quote you on the item
Printed Nam	e/Signature	Tel. No./Cellphone No.	Email Address	Date

Desktop CPU

Specifications:

Processor: Intel Core i7-7700 (8MB Cache, Quadcore Processor 3.6 GHZ Max

Frequency 4.20 Ghz)

Memory: 8GB DDR4 2133 MHz Storage: 1TB 3.5-inch 7200 RPM

Graphics: Video Card 2G, DDR5 (supporting: DVI-D, HDMI, DP)

Optical Drive: 8X Super-Multi drive, 9.0 mm slim, tray-load

Connectivity: 802.11ac/a/b/g/n wireless Gigabit LAN

USB 3.0 port(s): 2

Accessories: Wired Keyboard and mouse

23" Monitor

VGA + DVI + HDMI

Operating System: Win 10 SL 64 Bit (Genuine/OEM)

Warranty: 1 Year

Package: MS Office 2016 Licensed

Back-UPS

Specifications:

Output Power Capacity: 325 Watts / 625 VA Max Configurable Power: 325 Watts / 0 VA

Nominal Output Voltage: 230V Efficiency at Full Load: 65.3%

Topology: Standby

Waveform Type: Square wave

Output Connections: (3)
Universal Receptacle

(Battery Backup)

Efficiency at Half Load: 75.8% Nominal Input Voltage: 230V Input Frequency: 45 - 65 Hz Input Connections: IEC-320 C14

Cord Length: 1.22 meters

Input voltage range for main operations: 151 - 299V

Maximum Input Current: 3A

Type of Input Protection Required: 3-pole breaker

Battery Type: Maintenance-free sealed Lead-Acid battery with suspended

electrolyte: leakproof

Typical recharge time 6 hour(s)

Surge energy rating:

273 Joules

With power adapter included

USB Headset with Noise-Cancelling Mic

Specifications:

Input Impedance: 32 Ohms

Sensitivity (headphone): 94dBV/Pa +/- 3 dB Sensitivity (microphone): -17 dBV/Pa +/- 4 dB Frequency response (Headset): 20 Hz - 20 kHz Frequency response (Microphone): 100 Hz -10 kHz

Cable length: 7.64 ft (2.33m)

Connections: USB-A compatible (1.1, 2.0, 3.0)

Warranty: 1 Year

Webcam

Specifications:

HD Video calling (1280 X 720 pixels) with recommended system

HD video capture: Up to 1280 X 720 pixels

Photos: Up to 5 megapixels (software enhanced)

Built-in mic with noise reduction

Hi-Speed USB 2.0 certified (recommended)

Universal clip fits laptops, LCD or CRT monitors

Laptop

Specifications:

Model: Lenovo IdeaPad Slim 5i 14IIL05 – Graphite Grey Processor: Intel Core i7-1065G7 (4C/8T, 13/3.9GHz,8MB)

Graphics: NVIDIA GeForce MX350 2GB GDDR5

Chipset: Intel SoC Platform

Memory: SGB Soldered DDR4-3200

Storage: 512GB NVMe 3.0x2

Display: 14" FHD (192x1080) IPS 300nit Anti-glare 45%Gamut

Touchscreen: None

Optical: None

Media Reader: 4-m-1 Card

Ethernet: None WLAN + Bluetooth: 11ax, 2x2 + BT5.1 Camera: 720p

Microphone: 2x Array Keyboard: Backlit, English

Fingerprint Reader: Touch Style

Battery: Integrated 57Wh

Warranty: 1 year

Bleded Software: MS Office 2019

Printer Type	Inkjet
	Mono Piezo with 210 nozzles x 1
Print Head	Colour DCP-T520W/DCP-T525W
	Piezo with 70 nozzles x 3
	DCP-T720DW/DCP-T725DW/DCP-T820DW/DCP- T825DW/MFC-T920DW/MFC-T925DW Piezo with 210 nozzles x 3
Memory Capacity	128 MB
Liquid Crystal Display (LCD)	DCP-T520W/DCP-T525W/DCP- T720DW/DCP-T725DW/DCP-T820DW/DCP- T825DW 1 line LCD
	 MFC-T920DW/MFC-T925DW 1 1.8 in. (44.9 mm) TFT Colour LCD

		Paper Type *1	Plain Paper, Inkjet Paper (coated paper), Glossy Paper, Recycled Paper
	Paper Tray	Paper Size ½	A4, Letter, Legal, Mexico Legal, India Legal, Folio, Executive, B5 (JIS), A5, B6 (JIS), A6, Envelopes (C5, Com-10, DL, Monarch), Photo (4" x 6")/(10 x 15 cm), Photo 2L (5" x 7")/(13 x 18 cm), Index card (5" x 8")/(13 x 20 cm)
		Maximum Paper Capacity	Up to 150 sheets of 80 gsm plain paper
		Paper Type 11	Plain Paper, Inkjet Paper (coated paper), Glossy Paper, Recycled Paper
Paper Input	Multi-purpose tray (MP tray) 3 (DCP-T820DW/DCP-T825DW/MFC-T920DW/MFC-T925DW)	Paper Size *2 *4	A4, Letter, Legal, Mexico Legal, India Legal, Folio, Executive, B5 (JIS), A5, B6 (JIS), A6, Envelopes (C5, Com-10, DL, Monarch), Photo (4" x 6")/(10 x 15 cm), Photo L (3.5" x 5")/(9 x 13 cm), Photo 2L (5" x 7")/(13 x 18 cm), Index card (5" x 8")/(13 x 20 cm)
		Maximum Paper Capacity <u>*4</u>	Up to 80 sheets of 80 gsm Plain Paper
	Manual Feed Slot (DCP-T520W/DCP- T525W/DCP- T720DW/DCP-T725DW)	Paper Type 1	Plain Paper, Inkjet Paper (coated paper), Glossy Paper, Recycled Paper
		Paper Size *2	A4, Letter, Legal, Mexico Legal, India Legal, Folio, Executive, B5 (JIS), A5, B6 (JIS), A6, Envelopes (C5, Com-10, DL, Monarch), Photo (4" x 6")/(10 x 15 cm), Photo L (3.5" x 5")/(9 x 13 cm), Photo 2L (5" x 7")/(13 x 18 cm), Index card (5" x 8")/(13 x 20 cm)
		Maximum Paper Capacity	Up to 1 sheet
Paper C	Output <u>4</u>		Up to 50 sheets of 80 gsm Plain Paper (face up print delivery to the output paper tray)

	ADF Width (DCP-T720DW/DCP-T725DW/DCP-T820DW/DCP-T825DW/MFC-T920DW/MFC-T925DW)	148 to 215.9 mm
Document Size	ADF Length *1	
	Scanner Glass Width	Max. 215.9 mm
	Scanner Glass Length	Max. 297 mm

Fax Specifications

Compatibility	ITU-T Group 3
Modem Speed	Automatic Fallback: 14,400 bps
Scanning Width (Single-sided document)	ADF: 208 mm (A4) Scanner Glass: 204 mm (A4)
Printing Width	204 mm (A4)
Resolution (Horizontal)	203 dpi
	Standard: 98 dpi (Mono)
Resolution	Fine: 196 dpi (Mono)
(Vertical)	Superfine: 392 dpi (Mono)
	Photo: 196 dpi (Mono)
Address Book	40 numbers (MFC-T920DW/MFC-T925DW)
Groups	Up to 6
Broadcasting	90 (40 Address Book/50 Manual Dial) (MFC-T920DW/MFC-T925DW)
Automatic Redial 3 times at 5 minute intervals	
Memory Transmission	Up to 170 pages (MFC-T920DW/MFC-T925DW) *1
Out of Paper Reception	Up to 170 pages (MFC-T920DW/MFC-T925DW) *1

Copy Specifications

Colour/Monochrome	Yes/Yes	
Copy Width	204 mm <u>*1</u>	
Multiple Copies	Stacks/Sorts up to 99 pages	
Enlarge/Reduce	25% to 400% (in increments of 1%)	
Resolution	Prints up to 1200 × 1800 dpi (DCP-T520W/DCP-T525W) Prints up to 1200 × 2400 dpi (DCP-T720DW/DCP-T725DW/DCP-T825DW/MFC-T920DW/MFC-T925DW)	

PhotoCapture Center Specifications

Compatible Me	dia <u>*1</u>	USB Flash drive *2
N	Resolution	Up to 1200 x 6000 dpi (MFC-T920DW/MFC-T925DW)
Photo	Paper Type	Plain Paper, Inkjet Paper (coated paper), Glossy Paper, Brother BP71 paper
THOLO	Paper Size	A4, Letter, Photo (10 x 15 cm), Photo 2L (13 x 18 cm)
	File Format	JPEG (Progressive JPEG format is not supported)
Scan to Media	File Format	JPEG, PDF (Colour, Grey) TIFF, PDF (Monochrome)

Scanner Specifications

Colour/Monochrome	Yes/Yes
TWAIN Compliant	Yes (Windows 7 SP1 / Windows 8.1 / Windows 10)
Colour Depth	30 bit colour processing (Input) 24 bit colour processing (Output)
Greyscale	10 bit colour processing (Input) 8 bit colour processing (Output)
Resolution	Up to 19200 × 19200 dpi (interpolated) *1 *2 (from Scanner Glass) Up to 1200 × 2400 dpi (optical) (from ADF) *3 Up to 1200 × 600 dpi (optical)
Scanning Width and Length (Single-sided document)	(Scanner Glass) Width: Up to 213.9 mm Length: Up to 295 mm (ADF) *3 Width: Up to 213.9 mm Length: Up to 353.6 mm

Printer Specifications

Resolution		Up to 1200 × 6000 dpi (Windows only) (DCP-T520W/DCP-T525W) Up to 1200 × 6000 dpi (DCP-T720DW/DCP-T725DW/DCP-T820DW/DCP-T825DW/MFC-T920DW/MFC-T925DW)
Printing Width <u>*1</u>		204 mm Borderless *2: 210 mm
Borderless		A4, Letter, A6, Photo (10 x 15 cm), Photo L (9 x 13 cm), Photo 2L (13 x 18 cm), Index card (13 x 20 cm)
Automatic 2-sided (DCP-T720DW/DCP-T725DW/DCP-	Paper Type	Plain Paper, Recycled Paper
T820DW/DCP-T825DW/MFC- T920DW/MFC-T925DW)	Paper Size *3	A4, Letter, Executive, A5, B5 (JIS)
Print Speed		See your model's page on your local Brother website.

Interface Specifications

USB *1 *2	Use a USB 2.0 interface cable that is no longer than 2 m.
LAN (DCP-T820DW/DCP-T825DW/MFC-T920DW/MFC-T925DW)	Use an Ethernet UTP cable category 5 or greater.
Wireless LAN	IEEE 802.11b/g/n (Infrastructure) IEEE 802.11g/n (Wi-Fi Direct)

Network Specifications

Network Security (Wired) (DCP-T820DW/DCP-T825DW/MFC-T920DW/MFC-T925DW) Network Security (Wireless)		SSL/TLS (IPPS, HTTPS)
		SSL/TLS (IPPS, HTTPS)
Wireless Network Security		SSID (32 characters), WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES)
Wireless Setup Support Utility	WPS	Yes