## BY THE PRESIDENT OF THE PHILIPPINES

PROCLAMATION NO. 139

DECLARING ALIWAGWAG AS PROTECTED AREA UNDER THE CATEGORY OF PROTECTED LANDSCAPE AND ITS PERIPHERAL AREAS AS BUFFER ZONE SITUATED IN THE MUNICIPALITIES OF BOSTON AND CATEEL, PROVINCE OF DAVAO ORIENTAL AND IN THE MUNICIPALITY OF COMPOSTELA, PROVINCE OF COMPOSTELA VALLEY AND IN THE MUNICIPALITIES OF BOSTON AND CATEEL, PROVINCE OF DAVAO ORIENTAL PURSUANT TO R.A. 7586 (NIPAS ACT OF 1992)

Upon the recommendation of the Secretary of the Department of Environment and Natural Resources and pursuant to the powers vested upon me by law, I, BENIGNO S. AQUINO III, President of the Republic of the Philippines, do hereby set aside and declare Aliwagwag, situated in the Municipality of Compostela, Province of Compostela Valley and in the Municipalities of Boston and Cateel, Province of Davao Oriental, as protected area and shall be known as Aliwagwag Protected Landscape (APL), and its peripheral areas as Buffer Zone, subject to private rights, and without prejudice to the rights of indigenous peoples, as provided for in R.A. No. 8371, DENR Administrative Order No. 93-02 and other related rules and regulations, if any there be, as described in DENR NIPAS Map No. RO-XI-4.

## **TECHNICAL DESCRIPTIONS**

Bounded in all directions from Corner 52 to Corner 24 of the Aliwagwag Protected Landscape by its 200 meter buffer zone, the Protected Area begins at a point marked "1" on the map and on the ground by a concrete monument identical to corner 8 of the former TLA No. 201 of Eastcoast Development Enterprises,

Thence	S 58°33' E S 58°33' E S 58°33' E S 58°33' E S 23°50' W S 23°50' W S 23°50' W S 23°50' W S 23°50' W S 23°50' W S 23°50' W	361.1 meters 546.9 meters 515.9 meters 361.1 meters 402.6 meters 432.8 meters 352.3 meters 352.3 meters 352.3 meters 422.7 meters 523.4 meters	to Corner 2; to Corner 3; to Corner 4; to Corner 5; to Corner 7; to Corner 8; to Corner 9; to Corner 10; to Corner 11; to Corner 12;





			_	
Thence	S 23°50' W		533.4 meters	to Corner 13;
Thence	S 23°50' W		402.6 meters	to Corner 14;
Thence	S 23°50' W		402.6 meters	to Corner 15;
Thence	S 45°37' E		256.7 meters	to Corner 16;
Thence	S 45°37' E		359.4 meters	to Corner 17;
Thence	S 45°37' E		359.4 meters	to Corner 18;
Thence	S 45°37' E		359.4 meters	to Corner 19;
Thence	S 45°37' E		359.4 meters	to Corner 20;
Thence	S 45°37' E		359.4 meters	to Corner 21;
Thence	S 45°37' E		410.8 meters	to Corner 22;
Thence	S 45°37' E		359.4 meters	to Corner 23;
Thence	S 18°22' E		529.4 meters	to Corner 24;
Thence	S 45°26' W		444.3 meters	to Corner 25;
Thence	S 37°29' W		348.2 meters	to Comer 26;
Thence	S 19°59' W		403.7 meters	to Corner 27;
Thence	S 32°34' W		399.7 meters	
Thence	S 25°45' W		301.5 meters	to Corner 28;
Thence	S 72°06' W		290.0 meters	to Corner 29;
Thence	S 57°36' W		244.2 meters	to Corner 30;
Thence	N 71°37' W		433.9 meters	to Corner 31;
Thence	S 32°34' W		349.8 meters	to Corner 32;
Thence	S 32°34′ W		349.8 meters	to Corner 33;
Thence	S 32°34' W		299.8 meters	to Corner 34;
Thence	S 22°52' W		402.9 meters	to Corner 35;
Thence	S 34°32' W			to Corner 36;
Thence	S 26°44' W		448.0 meters 421.8 meters	to Corner 37;
Thence	S 39°28' W		258.2 meters	to Corner 38;
Thence	N 35°23' W		244.1 meters	to Corner 39;
Thence	DUE WEST	383	327.1 meters	to Corner 40;
Thence	S 37°29' W			to Corner 41;
Thence	S 59°39' W		298.5 meters	to Corner 42;
Thence	N 79°47' W		243.7 meters	to Corner 43;
Thence	N 57°25' W		336.9 meters	to Corner 44;
Thence	N 60°27' W		348.6 meters	to Corner 45;
Thence	S 61°43' W		290.2 meters	to Corner 46;
Thence	S 61°43' W		350.4 meters	to Corner 47;
Thence	N 66°32' W		340.7 meters	to Corner 48;
Thence	N 80°48' W		241.4 meters	to Corner 49;
Thence	S 70°01' W		433.2 meters	to Corner 50;
Thence	N 73°39' W		367.8 meters	to Corner 51;
Thence	N 15°47' E		221.7 meters	to Corner 52;
Thence			276.6 meters	to Corner 53;
	N 52°29' E		355.9 meters	to Corner 54;
Thence	N 52°29' E		244.1 meters	to Corner 55;
Thence	N 29°17' E		159.4 meters	to Corner 56;
Thence Thence	N 51°22' W		242.6 meters	to Corner 57;
Hence	N 84°53' W		365.6 meters	to Corner 58;





× 1900					
rience	N 40°21' W		438 o meters	to	Corner 59;
Thence	N 19°35' W		441.7 meters	to	Corner 60;
Thence	N 57°25' W		242.1 meters	to	Comer 61;
Thence	S 65°51' W		223.2 meters	to	Corner 62;
Thence	N 18°36' W		274.9 meters	to	Corner 63;
Thence	N 63°29' W		579.8 meters	to	Corner 64;
Thence	N 61°27' W		425.6 meters	to	Corner 65;
Thence	N 56°24' W		339.0 meters	to	Corner 66;
Thence	N 61°27' W		386.8 meters	to	Corner 67;
Thence	N 82°50' W		240.6 meters		Corner 68;
Thence	N 59°26' W		338.7 meters		Corner 69;
Thence	N 58°25' W		484.0 meters		Corner 70;
Thence	N 06°51' W		373.8 meters		Corner 71;
Thence	N 06°51' W		491.9 meters		Corner 72;
Thence	N 06°51' W		541.1 meters		Corner 73;
Thence	N 31°25' W		342.3 meters		Corner 74;
Thence	N 31°25' W		322.7 meters		Corner 75;
Thence	N 31°25' W		391.2 meters		Corner 76;
Thence	N 15°40' W		393.0 meters		Corner 77;
Thence	N 15°40' W		393.0 meters		Corner 78;
Thence	N 15°40' W		393.0 meters		Corner 79;
Thence	N 66°32' W		366.9 meters		Corner 80;
Thence	N 17°37' W		422.3 meters		Corner 81;
Thence	N 17°37' W		294.6 meters		Corner 82;
Thence	N 17°37' W		422.3 meters		Corner 83;
Thence	N 40°30' E	ete .	321.9 meters		Corner 84;
Thence	N 16°38' W		392,9 meters		Corner 85;
Thence	N 16°38' W		491.1 meters		Corner 86;
Thence	N 16°38' W		491.1 meters		Corner 87;
Thence	N 44°31' E		484.6 meters		Corner 88;
Thence	N 44°31' E		504.8 meters		Corner 89;
Thence	N 44°31' E		504.8 meters		Corner 90;
Thence	N 24°30' W		441.1 meters		Corner 91;
Thence	N 07°49' W		491.8 meters		Corner 92;
Thence	N 33°23' E		479.8 meters	to	Corner 93;
Thence	N 33°23' E		499.8 meters		Corner 94;
Thence	N 33°23' E		569.7 meters		Corner 95;
Thence	N 66°09' E		668.6 meters		Corner 96;
Thence	S 88°03' E		519.0 meters		Corner 97;
Thence	N 78°36' E		414.3 meters		Corner 98;
Thence	N 78°36' E		435,0 meters		Corner 99;
Thence	S 45°37' E		287.6 meters		Corner 100;
Thence	S 61°31' E		258.2 meters		Corner 101;
Thence	S 33°33' W		319.5 meters		Corner 102;
Thence	S 70°24' E		331.3 meters		Corner 103;
	S 70°24' E		362.4 meters		Corner 104;
Thence	0 10 Z4 E		JUZ.4 IIIEIGIS	ſŨ	יייטוווטין,





Thomas	P 7000 11 m	26		
Thence	S 70°24' E S 70°24' E S 70°24' E S 70°24' E S 48°37' E S 81°11' E	362.4 meters 393.5 meters 517.7 meters 362.4 meters 359.8 meters 394.2 meters 363.1 meters 415.0 meters 290.5 meters 435.7 meters 363.1 meters 362.7 meters 363.1 meters	to Corner 105; to Corner 106; to Corner 107; to Corner 109; to Corner 110; to Corner 111; to Corner 112; to Corner 113; to Corner 114; to Corner 115; to Corner 116; to Corner 117; to Corner 118; to Corner 118; to Corner 1, the point	

of beginning, containing an area of TEN THOUSAND FOUR HUNDRED NINETY-ONE and 33/100 (10,491.33) HECTARES.

## **BUFFER ZONE**

Beginning at point marked "1" on the ground being identical to corner 1 of the Aliwagwag Protected Landscape,

Thence N 81°00' W Thence N 70°00' W	350.0 meters 340.0 meters 320.0 meters 420.0 meters 420.0 meters 400.0 meters 360.0 meters 350.0 meters 350.0 meters 350.0 meters 350.0 meters 350.0 meters 350.0 meters 350.0 meters 350.0 meters 350.0 meters 320.0 meters 420.0 meters 420.0 meters	to Corner 2; to Corner 3; to Corner 4; to Corner 6; to Corner 6; to Corner 8; to Corner 9; to Corner 10; to Corner 11; to Corner 12; to Corner 13; to Corner 14; to Corner 15; to Corner 16; to Corner 16; to Corner 17; to Corner 18; to Corner 19; to Corner 20; to Corner 21; to Corner 21; to Corner 23;





66 P. C.	NI GORGOLIA		
Thence	N 88°00' W S 65°00' W	500.0 meters	to Corner 24;
Therice Therice	5 32°00′ W	650.0 meters	to Corner 25;
Thence	S 32°00' W	570.0 meters	to Corner 26;
Thence	S 32°00' W	500.0 meters	to Corner 27;
Thence	S 08°00' E	480.0 meters	to Corner 28;
Thence	S 25°00' E	500.0 meters	to Corner 29;
Thence	S 43°00' W	450.0 meters	to Corner 30;
Thence	S 43°00' W	500.0 meters	to Corner 31;
Thence	S 43°00' W	500.0 meters	to Corner 32;
Thence	S 17°00' E	480.0 meters	to Corner 33;
Thence	S 17°00'E	500.0 meters	to Corner 34;
Thence	S 17°00' E	500.0 meters	to Corner 35;
Thence	S 39.00, M	400.0 meters	to Corner 36;
Thence	S 18°00' E	320.0 meters	to Corner 37;
Thence	S 18°00' E	430.0 meters	to Corner 38;
Thence	S 18°00' E	300.0 meters	to Corner 39;
Thence	S 67°00' E	430.0 meters	to Comer 40;
Thence	S 16°00' E	380.0 meters	to Comer 41;
Thence	S 16°00' E	400,0 meters	to Comer 42;
Thence	S 16°00' E	400.0 meters	to Corner 43;
Thence	S 32°00' E	400.0 meters	to Corner 44;
Thence	S 32°00' E	400.0 meters	to Corner 45;
Thence	S 32°00' E	330.0 meters	to Corner 46;
Thence	S 07°00'E	350.0 meters	to Corner 47;
Thence	S 07°00' E	550.0 meters	to Corner 48;
Thence	S 07°00' E	500.0 meters	to Corner 49;
Thence	S 59°00' E	380.0 meters	to Corner 50;
Thence	S 60°00' E	500.0 meters	to Comer 51;
Thence	S 83°00' E	350.0 meters	to Corner 52;
Thence	S 62°00' E	250.0 meters	to Corner 53;
Thence	S 57°00' E	400.0 meters	to Corner 54;
Thence	S 61°00' E	350.0 meters	to Corner 55;
Thence	S 64°00' E	440.0 meters	to Corner 56;
Thence	S 19°00' E	600.0 meters 280.0 meters	to Corner 57;
Thence	N 67°00' E	230.0 meters	to Corner 58;
Thence	S 58°00' E		to Comer 59;
Thence	S 20°00' E	250.0 meters	to Comer 60;
Thence	S 41°00' E	340.0 meters	to Corner 61;
Thence	S 85°00' E	450.0 meters	to Corner 62;
Thence	S 52°00' E	380.0 meters	to Corner 63;
Thence	S 28°00' W	250.0 meters	to Corner 64;
Thence	S 51°00' W	160.0 meters	to Corner 65;
Thence	S 51°00' W	240.0 meters	to Corner 66;
Thence	S 15°00' W	350.0 meters	to Comer 67;
.,,0,,00	O 10 UU VV	280.0 meters	to Comer 68;
			- J





T1 -				
	llowing the road gen			
	I-Westerly dir. abt.	220.0 meters	to Corner	
Thence	N 02°00' E	260.0 meters	to Corner	
Thence	N 57°30' E	280.0 meters	to Corner	
Thence	N 57°30′ E	350.0 meters	to Corner	72;
	llowing the road gen	The state of the s		
	I-Easterly dir. abt.	300.0 meters	to Corner	73;
	llowing the road gen	The state of the s		
	I-Westerly dir. abt.	500.0 meters	to Corner	74;
	llowing the road gen	The state of the s	4	
	I-Westerly dir. abt.	620.0 meters	to Corner	75;
	lowing the road gen		" × , "	
	I-Westerly dir. abt.	250.0 meters	to Corner	76;
	lowing the road gen			
	-Westerly dir. abt.	275.0 meters	to Corner	77;
	lowing the road gen			
	-Westerly dir. abt.	180.0 meters	to Corner	78;
	lowing the road gen			
	-Westerly dir. abt.	460.0 meters	to Corner	79;
	lowing the road gen			
	-Westerly dir, abt.	600.0 meters	to Corner	80;
	lowing the road gen			
	-Westerly dir. abt.	300.0 meters	to Corner	31;
	lowing the road gene			<b>n</b> n.
	-Westerly dir. abt.	130.0 meters	to Corner	32,
	lowing the road gene	The state of the s	4	η.
	-Westerly dir. abt.	350.0 meters	to corner 8	3,
	lowing the road gene	-	in Comes	34.
		400.0 meters	to Corner I	34,
	lowing the road gene		is Caman	75.
	-Westerly dir. abt.	250.0 meters	to Corner	50,
	lowing the road gene -Westerly dir. abt.	550.0 meters	to Corner	20.
	N 63°00' W	350.0 meters	to Corner to	1,50
	N 03.00, M			
Thence Thence	N 03.00, M	500.0 meters 500.0 meters	to Corner to	
Thence	N 03°00' W	500.0 meters	to Corner to Corner to	
Thence	N 28°30' W	350.0 meters	to Corner	-
Thence	N 28°30' W	375.0 meters	to Comer (	wallen ST
Thence	N 28°30' W	330.0 meters	to Corner	
Thence	N 11°00' W	500.0 meters		
			to Corner	300
Thence Thence	N 11°00' W N 61°00' W	500.0 meters 400.0 meters	to Corner to	_
Thence	N 13°00' W	500.0 meters	to Corner	
	N 13°00' W	500.0 meters	to Comer	
Thence Thence	N 13°00'W	350.0 meters	to Corner	
Hence	14 10 00 44	Jov.v matais	to come	40 5
			contract description	





<u> 1.</u>	N 33°00' E		300.0 meters	to Corner 100;	
Thence	N 14°00' W	d	400.0 meters	to Corner 101;	
Thence Thence	N 14°00' W		480.0 meters	to Corner 102;	
Thence	N 14°00' W		500.0 meters	to Corner 103;	
Thence	N 37°00' E		500.0 meters	to Corner 104;	
Thence	N 37°00' E		500.0 meters	to Corner 105;	
Thence	N 37°00' E		500.0 meters	to Corner 106;	
Thence	N 24°00' W		330.0 meters	to Corner 107;	
Thence	N 05°00' W		320.0 meters	to Corner 108;	
Thence	N 05°00' W		350.0 meters	to Corner 109;	
Thence	N 26°00' E		400.0 meters	to Corner 110;	
Thence	N 26°00' E		400.0 meters	to Corner 111;	
Thence	N 26°00' E		400.0 meters	to Comer 112;	
Thence	N 26°00' E		500.0 meters	to Comer 113;	
Thence	N 60.00, E		350.0 meters	to Corner 114;	
Thence	N 60°00' E		380.0 meters	to Corner 115;	
Thence	S 85°00' E		480.0 meters	to Corner 116;	
Thence	N 74°30' E		500.0 meters	to Corner 117;	
	N 74°30' E		500.0 meters	to Comer 118;	
Thence	S 30°00' E		300.0 meters	to Corner 119;	
Thence	S 59°00' E		350.0 meters	to Comer 120;	
Thence	S 27°00' W		360.0 meters	to Corner 121;	
Thence	S 69°00' E		500.0 meters	to Comer 122;	
Thence	S 69°00' E		500.0 meters	to Corner 123;	
Thence	S 69°00' E		500.0 meters	to Corner 124;	
Thence	S 69°00' E		400.0 meters	to Comer 125;	
Thence Thence	S 69°00' E		350.0 meters	to Corner 126;	
Thence	S 41°00' E		210.0 meters	to Corner 127;	
Thence	S 80°00' E		500.0 meters	to Corner 128;	
Thence	S 80°00' E		500.0 meters	to Comer 129;	
Thence	\$ 80°00' E		500.0 meters	to Corner 130;	
Thence	S 80°00' E		500.0 meters	to Corner 131;	
Thence	S 80°00' E		500.0 meters	to Corner 132;	
Thence	S 80°00' E		500.0 meters	to Corner 133;	
Thence	S 80°00' E		500.0 meters	to Corner 134;	
Thence	S 80°00' E		500.0 meters	to Corner 135;	
Thence	S 54°00' E		500.0 meters	to Corner 136;	
Thence	5 54°00' E		500.0 meters	to Corner 137;	
Thence	S 54°00' E		650.0 meters	to Corner 138;	
	S 20°00' W		500.0 meters	to Comer 139;	
Thence	S 20°00' W		500.0 meters	to Corner 140;	
Thence	S 20°00' W		500.0 meters	to Corner 141;	
Thence	S 20°00' W		500,0 meters	to Corner 142;	
Thence	S 20°00' W		500.0 meters	to Corner 143;	
Thence	S 20°00' W		500.0 meters	to Corner 144;	
Thence	S 20°00' W		550.0 meters	to Corner 145;	
Thence	3 20 00 VV		JJU.U IHEIEIS	10 00(1101 170)	





7		owing Aliwagwag Cr.		
	in S.	E. dir. abt.	450.0 meters	to Corner 146;
1	hence follo	owing Aliwagwag Cr.	downstream	
	in 5.1	E. dir. abt.	450.0 meters	to Corner 147;
1	hence follo	owing Aliwagwag Cr.	downstream	
	in S.I	E. dir. abt.	410.0 meters	to Corner 148;
- Parket	hence follo	owing Aliwagwag Cr.	downstream	St. 26 SECONT SEEDS D. SCORT €
	in S.I		420.0 meters	to Corner 149:
7	hence follo	wing Aliwagwag Cr.	downstream	
		E. dir. abt.	550.0 meters	to Corner 150:
T	hence follo	wing Cateel R. upst		
	in S.V	N. dir. abt.	230.0 meters	to Corner 151;
T	hence follo	wing Aliwagwag Cr.	upstream	
	in N.\	N. dir. abt.	500.0 meters	to Corner 152;
T		wing Allwagwag Cr.		as a serious , comp
	in N.V	N. dir. abt.	500.0 meters	to Corner 153;
TI		wing Aliwagwag Cr.	unstream	
	in N.		500.0 meters	to Corner 154;
TI	nence follo	wing Aliwagwag Cr.		
	in N.V	V. dir. abt.	670.0 meters	to Corner 155;
TI	nence	S 20°00' W	350.0 meters	to Corner 156;
	nence	S 38°00' E	500.0 meters	to Corner 157;
	nence	S 38°00' E	500.0 meters	to Corner 158;
	ience	S 38°00' E	500.0 meters	to Corner 159;
	nence	S 38°00' E	500.0 meters	to Corner 160;
	nence	S 38°00' E	500.0 meters	to Corner 161;
		wing the road gener		10 00,1101 107,
		Westerly dir. abt.	650.0 meters	to Corner 162;
Th	nence	N 18°00' W	520.0 meters	to Corner 163;
	nence	N 45°00' W	350.0 meters	to Corner 164;
	nence	N 45°00' W	400.0 meters	to Corner 165;
	ence	N 45°00' W	350.0 meters	to Corner 166;
	ence	N 45°00 W	350.0 meters	to Corner 167;
	ence	N 45°00' W	350.0 meters	to Corner 168;
_	ence	N 45°00' W	300.0 meters	to Corner 169;
	ence	N 45°00' W	370.0 meters	to Corner 170;
	ence	N 45°00' W	250.0 meters	to Corner 171;
	ence	N 25°00' E	400.0 meters	to Corner 172;
	ence	N 25°00' E	400.0 meters	to Corner 173;
	ence	N 25°00' E	530.0 meters	to Corner 174;
	ence	N 25°00' E	520.0 meters	to Corner 175;
	ence	N 25°00' E	420.0 meters	to Corner 176;
	ence	N 25°00' E	350.0 meters	to Corner 177;
	ence	N 25°00' E	350.0 meters	to Corner 177;
	ence	N 25°00' E	350.0 meters	to Corner 179;
	епсе	N 25°00' E	430.0 meters	to Comer 179,
113	UI IUU	IX KOM WW Los	בוסוט חוסופוס	נט טטוויפו וטש,





Thence	N 25°00' E	400.0 meters	to Corner 181;
Thence	N 58°00' W	350.0 meters	to Corner 182;
Thence	N 58°00' W	500.0 meters	to Corner 183;
Thence	N 58°00' W	530.0 meters	to Corner 184;
Thence	N 58°00' W	350.0 meters	to Comer 1, the point

of beginning, containing an area of FOUR HUNDRED TWENTY and 06/100 (420.6) HECTARES.

The Aliwagwag Protected Landscape and its Buffer Zone shall be subject to actual ground survey and delineation by the DENR.

Any contract, permit or license for the extraction or utilization of natural resources therein already existing prior to this proclamation shall, subject to national interest, be respected until its expiration. Areas covered by such contracts, permits or licenses which are found not viable for development after assessment and/or exploration shall automatically form part of the Aliwagwag Protected Landscape. Likewise, all property and private rights within the APL already existing and/or vested prior to this Proclamation shall be respected in accordance with existing laws.

The Aliwagwag Protected Landscape and its Buffer Zone shall be under the administrative jurisdiction of the Department of Environment and Natural Resources (DENR) and shall be managed in accordance with the provisions of the NIPAS Act of 1992 and its Implementing Rules and Regulations.

IN WITNESS WHEREOF, I have hereunto set my hand and caused the seal of the Republic of the Philippines to be affixed.

Done in the City of Manila this 5th of our Lord Two Thousand and Eleven.

day of April

in the year

By the President:

RAQUITO N. OCHOA JR.
Executive Secretary

PNOVEOURIES

PNOVE

CERTIFIED COPY .

MARIAHITO M. DIMAAHDAL DIRECTOR IV MALAGAMANG RECORDS OFFICEA

9