Quezon Avenue, Diliman, Quezon City Telefax No. 924-6031 local 220

Date: Quotation No: PR No.

26-Mar-24 0141-03-24 0324.109

REQUEST FOR QUOTATION

Company N

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than

> Chairperson, Bids and ards Committee

- 1. ALL ENTRIES MUST BE TYPEWRITTEN OR PRINTED LEGIBLY.
 2. DELIVERY PERIOD IS WITHIN 15 CALENDAR DAYS.
 3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS/ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY.

 4. PRICE VALIDITY SHALL BE VALID FOR A PERIOD OF 30 CALENDAR DAYS.

 5. PHIL-GEPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION.

 6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED.

Title of Procurement:

Supply and Delivery of Various Information and Communication Technologies (e.g. Tripod and Sd Card, etc.)

Purpose:

For official use of the CMD and Month of the Ocean Activity in May 2024

Approved Budget for the Contract (ABC): P123,400.00

TEM NO.	ITEMS/DESCRIPTIONS	QTY./ UNIT	UNIT PRICE	TOTAL PRICE
1 1	Tripod Aluminum			
681	echnical Specifications:	2 pcs	P	P
	ripod with S2 pro video head A1573Fs2PRO			
A	Numinum Alloy legs + S2 Video Head			
	1.8" maximum height			
5	.5 lb load capacity			
V	Veighs: 4.4 lb			
C	R plate and pan bar handle included			
Ir	ntegral leveling platform			
A	anti-rotation leg system			
Т	hree adjustable leg angles			
S	separate pan and tilt drag lock levers			
2 5	SD Card-Pro64GB	1 pc	P	P
-	echnical Specifications:	1 100		
U	JHS-II / V90 / U3 / Class 10			
R	Read speed: Maximum 300 MB/s			
V	Vrite speed: Minimum 90 MB/s, Maximum 260 MB/s			
3 8	Stabilizer	1 pc	P	P
Te	echnical Specifications:			
7	95g (1.75lbs) weight			
S	Supports A7 + 24 -70mm F2.8 GM			
В	lluetooth shutter control			
3	rd-Gen RS stabilization Algorithm			
N	lative Vertical Shooting			
1	.4" Full-Color Touchscreen			
4 C	Canon LP- E6NH Battery	1 pc	Р	P
	echnical Specifications:	. , , ,		
C	compatible with canon EOS R			
L	ithium-ion			
2	130 mAh			
	***Continue to next page	***		

Delivery Period Warranty Price Validity

After having carefully read and accepted your Request for Quotation, I/We quote you on the item at prices noted above.

Email Address

Printed Name/Signature

Tel. No./Cellphone No.

Quezon Avenue, Diliman, Quezon City Telefax No. 924-6031 local 220

Date: Quotation No:

PR No.

26-Mar-24 0141-03-24 0324.109

REQUEST FOR QUOTATION

Company Name Address

> Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than

> > Chairperson, Bids and wards Committee

- 1. ALL ENTRIES MUST BE TYPEWRITTEN OR PRINTED LEGIBLY.
- ALL ENTRIES MOST BE I TYPEWRITED OR PRINTED LEGIBLY.
 DELIVERY PERIOD IS WITHIN 15 CALENDAR DAYS.
 WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS/ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY.
 PRICE VALIDITY SHALL BE VALID FOR A PERIOD OF 30 CALENDAR DAYS.
 PHIL-GEPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION.
 BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED.

Title of Procurement:

Supply and Delivery of Various Information and Communication Technologies (e.g. Tripod and Sd Card, etc.)

Purpose:

For official use of the CMD and Month of the Ocean Activity in May 2024

Approved Budget for the Contract (ABC):

P123,400.00

Danna of A

TEM NO.	ITEMS/DESCRIPTIONS	QTY.J UNIT	UNIT PRICE	TOTAL PRICE
	All in one Webcam and Speakerphone	2 units	P	P
- 1	Technical Specifications:			
	Camera			
- 1	Full HD 1080p video calling (up to 1920 x 1080 pixels); 720p HD video calling (up to 1280 x 720 pixels) with supported clients			
	Field of View			
	Diagonal: 78°			
	Horizontal: 70.42°			
	Vertical: 43.3°			
	1.2x HD zoom			
	228 mm extender stem for elevation / eye-level camera angle			
- 1	RightLight™ 2 technology for clarity in various lighting			
- 1	environments, even low light			
- 1	Camera LED for active streaming indication			
	SPEAKERPHONE			
- 1	Integrated full duplex speakerphone with echo and noise cancellation			
	movement			
	Microphones (TX)			
	Omnidirectional microphone with 2.4 m diameter range			
	Frequency Response: 200Hz – 8KHz Speakers (Rx)			
	Frequency Response: 220Hz – 20KHz			
	Max output: 80 dB SPL at 0.3 m			
	Remote Control			
- 1	R 3 m range			
	CR2032 battery (included) ***Continue to next page***			

Brand	·
Delivery Period	
Warranty	:
Price Validity	
	S. Mariana

After having carefully read and accepted your Request for Quotation, I/We quote you on the item at prices noted above.

Email Address

Quezon Avenue, Diliman, Quezon City Telefax No. 924-6031 local 220

Date: Quotation No: PR No.

26-Mar-24 0141-03-24 0324,109

REQUEST FOR QUOTATION

Company Name
TORROWS MANAGEMENT OF THE

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than

> ANSON M. Chairperson, Bids an Awards Committee

- 1. ALL ENTRIES MUST BE TYPEWRITTEN OR PRINTED LEGIBLY.
- ALL ENTRIES MUST BE TYPEWRITTEN OR PRINTED LEGIBLY.
 DELIVERY PERIOD IS WITHIN 12 CALENDAR DAYS.
 WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS/ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY.
 PRICE VALIDITY SHALL BE VALID FOR A PERIOD OF 30 CALENDAR DAYS.
 PHIL-GEPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION.
 BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED.

TIAL - C .	roouromont:

Supply and Delivery of Various Information and Communication Technologies (e.g. Tripod and Sd Card, etc.)

For official use of the CMD and Month of the Ocean Activity in May 2024

Approved Budget for the Contract (ABC):

P123,400.00

Page3 of 4

Cables / Power AC Power adapter Power cable (2.4 m) USB cable (2.4 m) WOUNT Designed for tabletop use COMPATIBILITY AND CERTIFICATIONS Plug-and-play USB connectivity Certified for Skype for Business and ready for Teams Zoom Certified Fuze® Certified Compatible with Google Meet™ Cisco Jabber and WebEx compatible Compatible with BlueJeans, BroadSoft, GoToMeeting, Vidyo, and other video conferencing, recording, and broadcasting applications that support USB cameras. 4 Ports connect up to 4 USB devices to your PC or Laptop, Such as external hard drives, USB flash drives, mouse, keyboard, USB Headphone, speakers, memory and other USB devices. Slim, light & portable Weighs: 2.08 ounces 6.2 x 3.6 x 0.7 inches 5Gpbs data transfer speed	ITEM NO.	ITEMS/DESCRIPTIONS	QTY./ UNIT	UNIT PRICE	TOTAL PRICE
USB HUB 3.0 Technical Specifications: 4 Ports connect up to 4 USB devices to your PC or Laptop, Such as external hard drives, USB flash drives, mouse, keyboard, USB Headphone, speakers, memory and other USB devices. Slim, light & portable Weighs: 2.08 ounces 6.2 x 3.6 x 0.7 inches 5Gpbs data transfer speed	F () () () () () () () () () (AC Power adapter Power cable (2.4 m) USB cable (2.4 m) MOUNT Designed for tabletop use COMPATIBILITY AND CERTIFICATIONS Plug-and-play USB connectivity Certified for Skype for Business and ready for Teams Zoom Certified Fuze® Certified Compatible with Google Meet™ Cisco Jabber and WebEx compatible Compatible with BlueJeans, BroadSoft, GoToMeeting, Vidyo, and other video conferencing, recording, and broadcasting	ONI		
10 (32/64 bit) 8.1 / 8 / 7 / vista / XP, Mac OS x 10.6 to 10.9 linux 2.6.14 or abobe, plug and play. ***Continue to next page***	6 77 22 55 66 66 66 66 66 66 66 66 66 66 66 66	USB HUB 3.0 Technical Specifications: 4 Ports connect up to 4 USB devices to your PC or Laptop, Such as external hard drives, USB flash drives, mouse, keyboard, USB Headphone, speakers, memory and other USB devices. Slim, light & portable Weighs: 2.08 ounces 6.2 x 3.6 x 0.7 inches 5Gpbs data transfer speed Compatibility: 4 port USB data hub is compatible with windows 10 (32/64 bit) 8.1 / 8 / 7 / vista / XP, Mac OS x 10.6 to 10.9 linux 2.6.14 or abobe, plug and play.	2 pcs	P	P

Brand Delivery Period Warranty Price Validity

After having carefully read and accepted your Request for Quotation, I/We quote you on the item at prices noted above.

Tel No /Cellphone No Printed Name/Signature

Fmail Address

Quezon Avenue, Diliman, Quezon City Telefax No. 924-6031 local 220

Quotation No:

PR No.

26-Mar-24 0141-03-24

0324.109

REQUEST FOR QUOTATION

Company Name Address

> Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than

> > Chairperson, Bids and wards Committee

- 1. ALL ENTRIES MUST BE TYPEWRITTEN OR PRINTED LEGIBLY.
- 2. DELIVERY PERIOD IS WITHIN 15 CALENDAR DAYS.
 3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS/ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY.

- 4. PRICE VALIDITY SHALL BE VALID FOR A PERIOD OF 30 CALENDAR DAYS.

 5. PHIL-GEPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION.

 6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED.

Title of Procurement:

Supply and Delivery of Various Information and Communication Technologies (e.g. Tripod and Sd Card, etc.)

For official use of the CMD and Month of the Ocean Activity in May 2024

Approved Budget for the Contract (ABC):

P123,400.00

	F123,400.00			Page4 o
YO.	ITEMS/DESCRIPTIONS	LYTD UNIT	UNIT PRICE	TOTAL PRICE
7	USB Extensions Cable Technical Specifications: 10m Male to Female USB 3.0 cable USB 3.0, 2.0 exnter cord USB Extension	2 pcs	P	P
8	Universal Tower Extension Cord 12 Gang with 1.83 meter Note: All items come with a Warranty guarantee	2 pcs	P	P
	Additional Requests from Procuring Entity: [] Please provide sample upon request of end-user [] Please see full specifications/attached sample design for reference. [X] Other conditions to this request, please state: For more info, please contact the end-user at 8924-6031 loc, 207/228/249 Kindly address all proposals to the Chalrperson, Bids and Awards Committee Contract shall be awarded to the bidder per: [] Item basis [X] Lot basis		GRAND TOTAL:	P
	Bidders must submit the following requirements upon submission of proposal. Non-submission of these requirements shall be grounds for disqualification from the bidding process: 1. DTI/SEC Registration Certificate 2. Valid and Current Mayor's Permit 3. PHILGEPS Certificate of Registration 4. BIR Certificate of Registration 5. Sign Omnibus Sworn Statement			
	-For goods, conforme of the winning bidder must be done within seven (7) calendar days upon serving of the POFor services, conforme of the winning bidder must be done within fourbeen (14) calendar days upon serving of the JONotarization of the OSS should be compiled with after the award of the confract but before payment pursuant to item 6.3 of GPPB 09-2020.			

Brand :		After having carefully read and accepted your Request Quotation, I/We quote you on the item at prices noted at		
Printed Name/Signature	Tel. No./Cellphone No.	Email Address	Date	

	TRIPOD_Aluminum Tripod with S2 Pro Video Head A1573FS2PRO - Aluminum Alloy Legs + S2 Video Head - 61.8" Maximum Height - 5.5 lb Load Capacity - Weighs 4.4 lb - QR Plate and Pan Bar Handle Included - Integral Leveling Platform - Anti-Rotation Leg System - Three Adjustable Leg Angles - Separate Pan and Tilt Drag Lock Levers
Extreme PRO 300 Max Rep (no. 1) 64 GB	SD Card_ Pro 64GB SD Card - 64GB Storage Capacity - UHS-II / V90 / U3 / Class 10 - Read speed: Maximum 300 MB/s - Write speed: Minimum 90 MB/s, maximum 260 MB/s
	Stabilizer - 795g (1.75lbs) weight - Supports A7 + 24-70mm F2.8 GM - Bluetooth Shutter Control - 3rd-Gen RS Stabilization Algorithm - Native Vertical Shooting - 1.4" Full-Color Touchscreen
	Canon LP-E6NH Battery Pack - Compatible with Canon EOS R - Lithium-Ion - 2130 mAh



CAMERA

Full HD 1080p video calling (up to 1920 x 1080 pixels); 720p HD video calling (up to 1280 x 720 pixels) with supported clients

Field of View:

Diagonal: 78° Horizontal: 70.42° Vertical: 43.3° 1.2x HD zoom

228 mm extender stem for elevation / eye-level camera angle

Rightlight? 2 Technology for clarity in various lighting environments, even low light

Camera LED for active streaming indication

SPEAKERPHONE

Integrated full duplex speakerphone with echo and noise cancellation

Controls for call answer/end, volume, mute, and camera movement

Microphone (Tx)

Omnidirectional microphone with 2.4 m diameter range

Frequency response: 200Hz ? 8KHz

Speakers (Rx)

Frequency response: 220Hz ? 20KHz Max output: 80 dB SPL at 0.3 m

REMOTE CONTROL

IR 3 m range CR2032 battery

CABLES / POWER

AC Power adapter Power cable (2.4 m) USB cable (2.4 m)

MOUNT

Designed for tabletop use COMPATIBILITY AND CERTIFICATIONS Plug-and-play USB connectivity Certified for Skype for Business and ready for Teams Zoom Certified **Fuze Certified** Compatible with Google Meet Cisco Jabber® and WebEX Compatible Compatible with BlueJeans, BroadSoft, GoToMeeting, Vidyo. and other video conferencing. recording, and broadcasting applications that support USB cameras



*USB Hub 3.0. _4-Port Hub_connect up to 4
USB devices to your PC or Laptop, such as
external hard drives, USB flash drives, mouse,
keyboard, USB headphone, speakers, memory
cards, keyboard, mouse and other USB
devices.

*Slim, Light & Portable. This USB hub weighs only 2.08 ounces (included package) and measures 6.2 x 3.6 x 0.7 inches, which is compact, portable and convenient. 5Gbps Data Transfer Speed.

Compatibility: 4-port USB data hub is compatible with Windows10/(32/64 bit) 8.1 / 8 / 7 / Vista / XP, Mac OS X 10.6 to 10.9, Linux 2.6.14 or above, plug and play.

