Quezon Avenue, Diliman, Quezon City Telefax No. 924-6031 local 221/Cell No.0953-760-1979

Date: Quotation No: 15-Nov-24 0633-11-24 1124.050

REQUEST FOR QUOTATION

Company Name Address

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____

ANSON M. Chairperson, Bids and

- 1. ALL ENTRIES MUST BE TYPEWRITTEN OR PRINTED LEGIBLY.
 2. DELIVERY PERIOD IS WITHIN 15 CALENDAR DAYS.
 3. WARRANTY SHALL BE FOR A PERIOD OF SIX (B) MONTHS FOR SUPPLIES & MATERIALSIONE (1) YEAR FOR EQUIPMENT, FROM DATE of ACCEPTANCE BY THE PROCURING ENTITY.
 4. PRICE VALIDITY SHALL BE VALID FOR A PERIOD OF 30 CALENDAR DAYS.
 5. PHIL-GEPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION.
 6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERD.

TIME	Phone and	AND REAL PROPERTY.	
Title of	Procu	remer	W.

Supply and Installation with Set-up of Audio and Video Equipment for Aguila Hall, Bulwagan Ninoy

Purpose:

For official use of the BMB for Aguila Hall, Bulwagan Ninoy

Approved Budget for the Contract (ABC):

	P410,000.00			Page 1 of 8
NO.	ITEMS/DESCRIPTIONS	QTY./ UNIT	UNIT PRICE	TOTAL PRICE
1	Main Conference Unit Technical Specifications: Maximum Capacity of 60 units Record & Play Function thru USB or SD Card Equipped w/ 3 groups + Extension Group for system connecting workable For 20 Mic units each Group Output Level LED Indicator Single, Multiple and many Groups can Be use simultaneously Line Volume for the unit source. Mic Volume for the external Mic Connection Master Volume Control the mic line level Balance XLR Output Extension to Other Main Unit in case Will use More Than 60 pcs	1 pc	P	P
2	Chairman Conference Microphone Technical Specifications: Unidirectional condenser 2W microphone Volume control On/Off buttons Red light indicator with built-in speaker	3 pcs	P	P
3	Delegate Conference Microphone Technical Specifications: Unidirectional condenser 2W microphone Volume control On/Off buttons Red light indicator with built-in speaker	19 pcs	P	P
4	Conference Cable Extension, 5 meters	2 pcs	P	Р
	Continue to next page			
	Brand :			220 1930

			_
Printed	Name	/Signa	ture

Delivery Period

Warranty Price Validity

Email Address

Quotation, I/We quote you on the item at prices noted above.

BIODIVERSITY MANAGEMENT BUREAU
Quezon Avenue, Diliman, Quezon City
Telefax No. 924-6031 local 221/Cell No.0953-760-1979

Date: Quotation No: PR No.

15-Nov-24 0633-11-24 1124.050

REQUEST FOR QUOTATION

Company Name

Please quote your lowest price on the item's listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____

ANSON

- 1. ALL ENTRIES MUST BE TYPEWRITTEN OR PRINTED LEGIBLY.
 2. DELIVERY PERIOD IS WITHIN 15 CALENDAR DAYS.
 3. WARRANTY SHALL BE FOR A PERIOD OF SIX (8) MONTHS FOR SUPPLIES & MATERIALSIONE (1) YEAR FOR EQUIPMENT, FROM DAYE OF ACCEPTANCE BY THE PROCURING ENTITY.
 4. PRICE VALIDITY SHALL BE VALID FOR A PERIOD OF 30 CALENDAR DAYS.
 5. PHIL-GEPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION.
 6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED.

П	TIAL	#	Dunner	rement	
ш	1110	e oi	Procu	rement	ï

Supply and Installation with Set-up of Audio and Video Equipment for Aguila Hall, Bulwagan Ninoy

Purpose:

For official use of the BMB for Aguila Hall, Bulwagan Ninoy

	P410,000.00			Page 2
M.	ITEMS/DESCRIPTIONS	LYTD	UNIT PRICE	TOTAL PRICE
	Conference Cable Extension,			
	10 meters	2 pcs	P	P
٦		z pes	-	1
	Power Amplifier	1 pc	P	P
	Technical Specifications:			
	450W Multi-Zone Mixing PA Bluetooth Amplifier			
	15 zone speaker selector switch			
	2 AUX Line Input and 1 AUX Line Output			
	4-16 Ohms/70V and 100V Line Output			
	USB, SD, FM Radio			
	Chime Function			
	4 Mic Input with Mic priority function			
	Mic Echo and Volume Control			
	Music Bass and Treble Control			
	31 x 2 Band Equalizer	1 pc	P	P
	Technical Specifications:			
	31 Band Graphic Equalizer with Precise 45mm Fader, -12dB/+12dB Input Gain Range, Switchable +/- 6dB or =/- 15dB Boost/Cut Ranges, 18dB/Octave 50Hz Bessel Low-Cut Filter, LED Indicators, Direct Bypass Switch, RF Filter, 3-Pin XLR, Barrier Strip, TRs Inputs and Outputs, Internal Power Supply Transformer, Frequency Response: 10Hz to 50KHz			
	Input Type: Electronically balace/unbalaced, RF filtered			
	Input Impedance: Balance 40Ω, Unbalanced 20Ω			
	Output Impedance: Balance100 ohm, Unbalanced 50 ohm			
	Bandwidth: 20Hz - 20Khz			
	Frequency Response: 10hz to 50Khz			
	S/N ratio: ≥ 93dB			
	THD: ≤ 0.005%			
	Interchannel Crosstalk: ≤ 81dB			
	Low cut Switch: 40Hz 18 dB/octave Bessel high-pass filter			
	Range Switch: +/- 6 dB or +/- 15 dB slider boost/cut range			
	Bypass Switch: Bypasses thru signal path			
	Dynamic Range: ≥ 108dB			
	Operating voltage: 220V 50-60Hz			
	Dimension (HxWxD): 13.4(H) x 48(W) x 20(D) cm			
	Net Weight: 4.5kg			
	Continue to next page			

Printed	Name/Signature

Warranty Price Validity

Tel. No./Cellphone No.

Email Address

BIODIVERSITY MANAGEMENT BUREAU Quezon Avenue, Diliman, Quezon City Telefax No. 924-6031 local 221/Cell No.0953-760-1979

Date: Quotation No: PR No. 15-Nov-24 0633-11-24 1124.050

REQUEST FOR QUOTATION

Company Name Address

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than

NOTES:

- 1. ALL ENTRIES MUST BE TYPEWRITTEN OR PRINTED LEGIBLY,
 2. DELIVERY PERIOD IS WITHIN 15 CALENDAR DAYS.
 3. WARRANTY SYALL BE FOR A PERIOD OF BX (8) MONTHS FOR SUPPLIES & MATERIALSIONE (1) YEAR FOR EQUIPMENT,
 FROM DATE OF ACCEPTINGE BY THE PROCURING ENTITY.
 4. PRICE VALIDITY SHALL BE VALID FOR A PERIOD OF 12 CALENDAR DAYS.
 5. PHIL-GEPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION.
 6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED.

Title of Procurement:

Supply and Installation with Set-up of Audio and Video Equipment for Aguila Hall, Bulwagan Ninoy

Purpose:

For official use of the BMB for Aguila Hall, Bulwagan Ninoy

Approved Budget for the Contract (ABC):

M D.	ITEMS/DESCRIPTIONS	QTY./ UNIT	UNIT PRICE	TOTAL PRICE
Ī	9 channel Power Controller			
1		1 pc	P	P
1	Technical Specifications:			
	9 Outlet-Socket Power Conditioner Processor with USB Port-Charging, Line			
	Voltage (220V 50-60Hz) and Voltmeter LCD Display, 15 amp rating with			
- 1	Circuit Breaker, two Retractable Dimmer Controls and Spike/Surge			
+	Protection, Noise Filtration to reduce (RFI/EMI)			1
	8 channel Audio Mixer	1 pc	Р	P
	Technical Specifications:	1 pc	r	-
- 1	8 Channel/Mono Mic Line			
-1	3 Band EQ Gain Control			
	7 Band Stereo Graphic Equalizer			
- 1	Build in 256 DSP Effector	56		
- 1	3 Aux (2 aux send 1 aux/effect)			
- 1	Headphone & Monitor Output with Control			
	Display MP3, USB Interface, Bluetooth, Recording			
- 1	MP3 Player with EQ Tone Control High. Low			
- 1	Master Fader for Effector and MP3 7mm Fader x 8			
- 1	+48V Phantom Power each Channel for Condenser			
- 1	Mute each Channel			
- 1	Material Body: Iron Plate 32 BIT			
	Wireless Microphone High End			
0	rechargeable	1 set	P	P
	Technical Specifications:			
	Dual UHF Wireless Microphone			
	Rechargeable Mic.			
	UHF Frequencies: 636-695.7 MHz			
	200 Selectable Frequencies			
	100 Freq. each channel			
	Auto Frequency Search Function			
	Easy to Sync & Operate			
	Receiver Display Battery Status			
	2 Battery Charging Slot on Receiver Unit			
	Digital LCD Display on Transmitter & Receiver			
ï	1U Space Rack Mountable			
	Dual Antenna Receiving System			
	3.7V 1100 mAh Li-Ion Rechargeable Battery			
	Batteries included			
	Continue to next page		1.	

Diana	
Delivery Period	š
Warranty	1
Price Validity	

After having carefully read and accepted your Request for Quotation, I/We quote you on the item at prices noted above.

REQUEST FOR QUOTATION

Company Name

Please quote your lowest price on the Item's listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than

-	ul l	/
	100	4
AN Chairperso	ISON M. TAC n, Bids and Award	ds Constittee
L	V	V

NOTES: 1. ALL ENTRIES MUST BE TYPEV	VRITTEN OR PRINTED LEGIS

ALL ENTRIES MUST BE TYPEWRITTEN OR PRINTED LEGIBLY.
 DELIVERY PERIOD IS WITHIN 15 CALENDAR DAYS.
 WARRANTY SHALL BE FOR A PERIOD OF BUG (MINOTHS FOR SUPPLIES & MATERIALS/ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING BITTITY.
 PRICE VALID TO A PERIOD OF 19 CALENDAR DAYS.
 PHIL-GEPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION.
 BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED.

Title of Procurement:

Supply and Installation with Set-up of Audio and Video Equipment for Aguila Hall, Bulwagan Ninoy

Purpose:

For official use of the BMB for Aguila Hall, Bulwagan Ninoy

M	ITEMS/DESCRIPTIONS	QTY./	I man market	Page 4
		UNIT	UNIT PRICE	TOTAL PRICE
Flight	Case 12 RU with mixer			
on top	and table	1 pc	P	P
Technical Speci		1 00		-
Length: 695r				
Width: 525m	m			
Height: 820m	nm			
Color: Black/	Chrome			
Voltag	e Regulator, 3000W,			
Servo	Type	1 pc	P	P
Technical Speci	**	. 60		
The state of the s	3000VA Servo Motor Type Auto Voltage			
80% Power F	Factor resulting in 2400 Watts Maximum Load			
	: 160VAC- 250VAC			
Ауг	n-Motorized Load, You Need 2x The Power Consumpti	on Of		
r Consumptio				
Avr	n-Motorized Load, You Need 4x The Power Consumpti	on Of		
Consumption				
Leading of the Control of the Control	sockets - 1 x 110V AC Outlet, 3 x 220V ACOutlet			
Short Circuit	270a(10a(1)22			
Overload Pro Time Delay F 180 Secs	function - With Turn On Delay Selector- Short: 6 Secs,	Long:		
Analog Volt N	Meter & Ammeter			
Best for TVs	Computers, Karaoke Players, Amplifiers, Refrigerators			
	L X W X H): 28.7cm x 23.8cm x 18.7cm			
Actual Weigh				
Colum	nn Speakers			
		2 pcs	P	P
Technical Spec				
4 X 4" Full R: 1 x 1.4" Dom				
IP56 Rating	e i weetei			
Sensitivity: 94	4dB			
	esponse: 120Hz-18KHz			
Power: 200V	있는 경우 아이들은 사이를 보면 하는 것이다. 요즘 없는 것은 아이들은 사이를 보면 하는 것이다.			
	0W, 60W, 120W			
Coverage: 10				
	704(H) x 125 (W) x 144 (D) mm		100	
Weight: 8.5k				
Plastic Casin				
	Continue to next pag	ne		-

Warranty Price Validity

Email Address

Quezon Avenue, Diliman, Quezon City Telefax No. 924-6031 local 221/Cell No.0953-760-1979

Date: Quotation No: PR No.

15-Nov-24 0633-11-24 1124.050

REQUEST FOR QUOTATION

Company Name

Address Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than

	Ÿ		
		p.	

- 1. ALL ENTRIES MUST BE TYPEWRITTEN OR PRINTED LEGIBLY.
 2. DELIVERY PERIOD IS WITHIN 15 CALENDAR DAYS.
 3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS/ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY.

 4. PRICE VALIDITY SHALL BE VALID FOR A PERIOD OF 30 CALENDAR DAYS.

 5. PHIL-GEPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION.

 6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED.

"P13.64 "	- 4	-				
Title	OT	М	rocu	ren	nen	Ľ

Supply and Installation with Set-up of Audio and Video Equipment for Aguila Hall, Bulwagan Ninoy

Purpose:

For official use of the BMB for Aguila Hall, Bulwagan Ninoy

Approved Budget for the Contract (ABC):

P410,000.00

ITEN NO.		QTY./ UNIT	UNIT PRICE	TOTAL PRICE
	Enclosed 6 inch	UNIT		
14	0	6 pcs	P	P
	Technical Specifications:			
	Size 6" coaxial frameless ceiling speaker with back cover and grille			
	Frequency Response: 90Hz-20KHz			
	Sensitivity Level: 93dB			
	7.20hms Impendance			
	100V TAP function - 2.5W, 5W, 10W			
	Two way			
	Simple Power Setting 3W, 6W			
	Flush Mounting in ceiling activity			
	2 spring locking clamp for easy mounting			
	ABS plastic material			
15	Audio Interface	1 pc	P	P
	Technical Specifications:			
	Number of Microphone Preamps2			
	Phantom Power Yes			
	Instrument Inputs 2			
	Line Inputs2			
	Air Mode Yes			
	Auto Gain Yes			
	Clip Safe Yes			
	Line Outputs 2			
	Headphone Outputs 1			
	Loopback Yes			
	ConnectivityUSB Type-C			
	Protocol USB 2.0			
	Form Factor Desktop			
	Simultaneous I/O4 x 2 (including Loopback inputs)			
	A/D Resolution24-bit/192 kHz			
	Bus PoweredYes (900mA)			
	***Continue to next page*	**		

Delivery Period Warranty Price Validity

Tel. No./Cellphone No.

Email Address

Date

After having carefully read and accepted your Request for Quotation, I/We quote you on the item at prices noted above.

Quezon Avenue, Diliman, Quezon City Telefax No. 924-6031 local 221/Cell No.0953-760-1979

Date: Quotation No: PR No.

15-Nov-24 0633-11-24 1124.050

REQUEST FOR QUOTATION

Company Name Address

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than

Chairperson, Bids an

NOTES:

- 1. ALL ENTRIES MUST BE TYPEWRITTEN OR PRINTED LEGIBLY.
 2. DELIVERY PERIOD IS WITHIN 15 CALENDAR DAYS.
 3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS/ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY.
 4. PRICE VALIDITY SHALL BE VALID FOR A PERIOD OF 30 CALENDAR DAYS.
 5. PHIL-GEPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION.
 6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED.

Title of Procurement:

Supply and Installation with Set-up of Audio and Video Equipment for Aguila Hall, Bulwagan Ninoy

Purpose:

For official use of the BMB for Aguila Hall, Bulwagan Ninoy

Approved Budget for the Contract (ABC):

M	ITEMS/DESCRIPTIONS	QTY./ UNIT	UNIT PRICE	TOTAL PRICE
Dim	nensions:			
Hei	ight 47.5mm			
Wio	dth 180mm			
Dep	pth 117mm			
We	eight 0.595kg			
Sup	pported sample rates			
44.1	1kHz, 48kHz, 88.2kHz, 96kHz, 176.4kHz, 192kHz			
Mic	crophone inputs:			
Fre	equency Response20-20kHz ± 0.06dB			
Dyn	namic Range116dB (A-Weighted)			
THE	D+N-100dB @ 8dB gain			
Noi	ise EIN-127dBu (A-Weighted)			
Max	ximum Input Level 16dBu			
Gai	in Range 69dB			
Imp	pedance 3kΩ			
Line	e inputs:			
Fre	equency Response20-20kHz ± 0.05dB			
Dyr	namic Range115.5dB (A-Weighted)			
THE	D+N-100dB @ 8dB gain			
Max	ximum Input Level22dBu			
Gai	in Range 69dB			
Imp	pedance 60kΩ			
Inst	strument inputs:			
Fre	equency Response20-20kHz ± 0.15dB			
Dyr	namic Range113dB (A-Weighted)			
THI	ID+N-80dB @ minimum gain			
Max	ximum Input Level12dBu			
Gai	iin Range62dB			

Gain Range	962dB	
		*Continue to next page***
Brand	t	After having carefully read and accepted your Request for Quotation,
Delivery Period	1	I/We quote you on the item at prices noted above.
Warranty	:	
Price Validity	4	

Printed Name/Signature

Tel. No./Cellphone No.

Email Address

Quezon Avenue, Diliman, Quezon City Telefax No. 924-6031 local 221/Cell No.0953-760-1979

Date: Quotation No: PR No.

15-Nov-24 0633-11-24 1124.050

REQUEST FOR QUOTATION

Company	Name	8

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than

> ANSON Chairperson, Bids and

NOTES

- 1. ALL ENTRIES MUST BE TYPEWRITTEN OR PRINTED LEGIBLY.
 2. DELIVERY PERIOD IS WITHIN 15 CALENDAR DAYS.
 3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS/ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY.
 4. PRICE VALIDITY SHALL BE VALID FOR A PERIOD OF 32 CALENDAR DAYS.
 5. PHIL-GEPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION.
 6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED.

Title of Procurement:

Supply and Installation with Set-up of Audio and Video Equipment for Aguila Hall, Bulwagan Ninoy

Purpose:

For official use of the BMB for Aguila Hall, Bulwagan Ninoy

Approved Budget for the Contract (ABC):

TEM ITEM	S/DESCRIPTIONS	QTY./ UNIT	UNIT PRICE	TOTAL PRICE
Impedance1M Ω				
Line outputs (Balanced):				
Frequency Response 20-20kHz ±	0.02dB			
Dynamic Range 120dB				
THD+N-109dB				
Maximum Output Level 16dBu				
Impedance 100Ω				
Headphone outputs:				
Frequency Response20-20kHz ±	0.1dB @ 33Ω / 300Ω			
Dynamic Range 112dB @ 33Ω				
115dB @ 300Ω				
THD+N-99dB @ 33Ω				
-108dB @ 300Ω				
Maximum Output Level 2.5dBu in	to 33Ω			
10dBu into 300Ω				
Maximum Output Power 32mW in	to 33Ω			
22mW into 300Ω				
Impedance 50Ω				
Analogue to Digital Converter:				
THD+N-110dB				
Dynamic Range120dB				
Digital to Analogue Converter				
THD+N-115dB				
Dynamic Range130dB (A-Weight	ed)			
Power: USB900mA External (Optional)4.5W				
Includes: 1m USB-C to USB-A ca	ble			

Power: USI	B900mA		
External (O	ptional)4	.5W	
Includes: 1	m USB-C	to USB-A cable	
			ntinue to next page***
Brand	7		After having carefully read and accepted your Request for Quotation,
Delivery Period	i		I/We quote you on the item at prices noted above.
Warranty	1		
Price Validity	:		
Printed Name/Si	anatura	Tel. No./Cellphone No.	Email Address Date
Frinted Name/Si	griature	rei. No./Celiphone No.	Email Address Date

Quezon Avenue, Dillman, Quezon City Telefax No. 924-6031 local 221/Cell No. 0953-760-1979

Date: Quotation No: PR No.

15-Nov-24 0633-11-24 1124.050

REQUEST FOR QUOTATION

Company Name Address

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____

ANSON Chairperson, Bids ar

NOTES:

- 1. ALL ENTRIES MUST BE TYPEWRITTEN OR PRINTED LEGIBLY.
 2. DELIVERY PERIOD IS WITHIN 15 CALENDAR DAYS.
 3. WARRANTY SHALL BE FOR A PERIOD OF \$1X (6) MONTHS FOR SUPPLIES & MATERIALS/ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY.
 4. PRICE VALIDITY SHALL BE VALID FOR A PERIOD OF \$2 CALENDAR DAYS.
 5. PHILLEGES REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION.
 6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED.

Procurement	

Supply and Installation with Set-up of Audio and Video Equipment for Aguila Hall, Bulwagan Ninoy

Purpose:
For official use of the BMB for Aguila Hall, Bulwagan Ninoy

Approved Budget for the Contract (ABC):

	P410,000.00			Page 8 of 8
NO.	ITEMS/DESCRIPTIONS	QTY./ UNIT	UNIT PRICE	TOTAL PRICE
16	Speaker Wire #16 Technical Specifications: Red and black, 100m/roll	2 rolls	P	P
17	HDMI cable, 10 m Technical Specifications: Male to Male 4K HD Cable PVC Type Black with ethernet Inclusions: Installation, 2 wall and 6 ceiling speakers Cabling for 8 speakers Installation conference microphone equipment Testing, commisioning and turn-over	4 pcs	P	P
	Other requirements: 1. Bidder must have rendered completed projects which is similar in nature 2. Please see separate sheets for full specifications 3. Certificate of Site Inspection Additional Requests from Procuring Entity: [] Please provide sample upon request of end-user [] Please see full specifications/attached sample design for reference. [X] Other conditions to this request, please state: For more info, please contact the end-user at 0963-760-1879/8924-8031 loc. 219 Kindly address all proposals to the Chairperson, Bids and Awards Committee Contract shall be awarded to the bidder per: [] Item basis [X] Lot basis		GRAN TOTAL:	P
	Bidders must submit the following requirements upon submission of proposal. Non-submission of these requirements shall be grounds for disqualification from the bidding process: 1. DTI/SEC Registration Certificate 2. Valid Mayor's/Business Permit 3. PHILGEPS Certificate of Registration 4. BIR Certificate of Registration (2303) 5. Sign Omnibus Sworn Statement (OSS) Important Note: -For goods, conforme of the winning bidder must be done within seven (7) calendar days upon serving of the POFor services, conforme of the winning bidder must be done within fourteen (14) calendar days upon serving of the JONotarization of the OSS should be compiled with after the award of the contract but before payment pursuant to Item 6,3 of GPPB 09-2020			-

Transmiconom or the Oc	so arround de compi	ed mor anter the amand of the combact but before payment pursuant to iten	1 6.3 bit GPPB 09-2020		
Brand Delivery Period Warranty Price Validity				After having carefully read and accepted your Request for Quotation, I/We quote you on the item at prices noted above.	
Printed Name/Sig	gnature	Tel. No./Celiphone No.	Email Address	Date	

AUDIO EQUIPMENTS

MAIN CONFERENCE UNIT

Maximum Capacity of 60 units

Record & Play Function thru USB or SD Card

Equipped w/3 groups + Extension Group for system connecting workable.

For 20 Mic units each Group

Output Level LED Indicator

Single, Multiple and many Groups can Be use simultaneously.

Line Volume for the unit source.

Mic Volume for the external Mic Connection

Master Volume Control the mic line level

Balance XLR Output

Extension to Other Main Unit in case Will use More Than 60 pcs.



CHAIRMAN'S CONFERENCE MICROPHONE UNIT

Unidirectional condenser 2W microphone
Volume control
On/Off buttons
Red light indicator
with built-in speaker



DELEGATE'S CONFERENCE MICROPHONE UNIT

Unidirectional condenser 2W microphone Volume control On/Off buttons Red light indicator with built-in speaker



POWER AMPLIFIER

450W Multi-Zone Mixing PA Bluetooth Amplifier
15 zone speaker selector switch
2 AUX Line Input and 1 AUX Line Output
4-16 Ohms/70V and 100V Line Output
USB, SD, FM Radio
Chime Function
4 Mic Input with Mic priority function
Mic Echo and Volume Control
Music Bass and Treble Control



DUAL UHF WIRELESS MICROPHONE

Dual UHF Wireless Microphone
Rechargeable Mic.
UHF Frequencies: 636-695.7 MHz
200 Selectable Frequencies
100 Freq. each channel
Auto Frequency Search Function
Easy to Sync & Operate
Receiver Display Battery Status
2 Battery Charging Slot on Receiver Unit
Digital LCD Display on Transmitter & Receiver
1U Space Rack Mountable
Dual Antenna Receiving System
3.7V 1100 mAh Li-Ion Rechargeable Battery
Batteries included



FLIGHT CASE

Length: 695mm Width: 525mm Height: 820mm Color: Black/ Chrome



VOLTAGE REGULATOR, 3000W, SERVO TYPE

Himark SVR-3000VA Servo Motor Type Auto Voltage Regulator (AVR)

80% Power Factor resulting in 2400 Watts Maximum Load

Input Voltage: 160VAC- 250VAC

FOR 220V NON-MOTORIZED LOAD, YOU NEED 2X THE POWER CONSUMPTION OF AVR

FOR 220V MOTORIZED LOAD, YOU NEED 3X THE POWER CONSUMPTION OF AVR

FOR 110V NON-MOTORIZED LOAD, YOU NEED 4X THE POWER CONSUMPTION OF AVR

FOR 110V MOTORIZED LOAD, YOU NEED 6X THE POWER CONSUMPTION OF AVR

4 Universal Sockets - 1 x 110V AC Outlet, 3 x 220V ACOutlet

Short Circuit Protection

Overload Protection

Time Delay Function - With Turn On Delay Selector- Short: 6 Secs, Long: 180 Secs

Analog Volt Meter & Ammeter

Best for TVs, Computers, Karaoke Players, Amplifiers, Refrigerators

Actual Size (L X W X H): 28.7cm x 23.8cm x 18.7cm

Actual Weight: 7.84 kg

COLUMN SPEAKERS

4 X 4" Full Range

1 x 1.4" Dome Tweeter

IP56 Rating

Sensitivity: 94dB

Frequency Response: 120Hz-18KHz


Power: 200W @ 80hms 100V Tap: 30W, 60W, 120W

Coverage: 100- x 50-

Dimensions: 704(H) x 125 (W) x 144 (D) mm

Weight: 8.5Kg

Plastic Casing Materials



CEILING SPEAKER

Size 6" coaxial frameless ceiling speaker with back cover and grille

Frequency Response: 90Hz-20KHz

Sensitivity Level: 93dB 7.20hms Impendance


100V TAP function - 2.5W, 5W, 10W

Two way

Simple Power Setting 3W, 6W Flush Mounting in ceiling activity

2 spring locking clamp for easy mounting

ABS plastic material



AUDIO INTERFACE

Overview

- · Number of Microphone Preamps2
- Phantom PowerYes
- Instrument Inputs2
- Line Inputs2
- Air ModeYes
- Auto GainYes
- Clip SafeYes
- Line Outputs2
- Headphone Outputs1
- LoopbackYes
- ConnectivityUSB Type-C
- ProtocolUSB 2.0
- Form FactorDesktop
- Simultaneous I/O4 x 2 (including Loopback inputs)
- A/D Resolution24-bit/192 kHz
- Bus PoweredYes (900mA)

Dimensions

- Height47.5mm
- Width180mm
- Depth117mm
- Weight0.595kg

Supported sample rates

44.1kHz, 48kHz, 88.2kHz, 96kHz, 176.4kHz, 192kHz

Microphone inputs

Frequency Response20-20kHz ± 0.06dB

- Dynamic Range116dB (A-Weighted)
- THD+N-100dB @ 8dB gain
- Noise EIN-127dBu (A-Weighted)
- Maximum Input Level16dBu
- Gain Range69dB
- Impedance3kΩ

Line inputs

- Frequency Response20-20kHz ± 0.05dB
- Dynamic Range115.5dB (A-Weighted)
- THD+N-100dB @ 8dB gain
- Maximum Input Level22dBu
- Gain Range69dB
- Impedance60kΩ

Instrument inputs

- Frequency Response20-20kHz ± 0.15dB
- Dynamic Range113dB (A-Weighted)
- THD+N-80d8 @ minimum gain
- Maximum Input Level12dBu
- Gain Range62dB
- Impedance1MΩ

Line outputs (Balanced)

- Frequency Response20-20kHz ± 0.02dB
- Dynamic Range120dB
- THD+N-109dB
- Maximum Output Level16dBu
- Impedance100Ω

Headphone outputs

- Frequency Response 20-20 kHz ± 0.1 dB @ 33Ω / 300Ω
- Dynamic Range112dB @ 33Ω
 - 115dB @ 300Ω
- THD+N-99dB @ 33Ω
 - -108dB @ 300Ω
- Maximum Output Level2.5dBu into 33Ω 10dBu into 300Ω
- Maximum Output Power32mW into 33Ω 22mW into 300Ω
- Impedance50Ω

Analogue to Digital Converter

- THD+N-110dB
- Dynamic Range120dB

Digital to Analogue Converter

- THD+N-115dB
- Dynamic Range130dB (A-Weighted)

Power

- USB900mA
- External (Optional)4.5W

Includes

1m USB-C to USB-A cable



AUDIO MIXER

8 Channel/Mono Mic Line
3 Band EQ Gain Control
7 Band Stereo Graphic Equalizer
Build in 256 DSP Effector
3 Aux (2 aux send 1 aux/effect)
Headphone & Monitor Output with Control
Display MP3, USB Interface, Bluetooth, Recording
MP3 Player with EQ Tone Control High. Low
Master Fader for Effector and MP3 7mm Fader x 8
+48V Phantom Power each Channel for Condenser
Mute each Channel
Material Body: Iron Plate 32 BIT




POWER CONTROLLER

9 Outlet-Socket Power Conditioner Processor with USB Port-Charging, Line Voltage (220V 50-60Hz) and Voltmeter LCD Display, 15 amp rating with Circuit Breaker, two Retractable Dimmer Controls and Spike/Surge Protection, Noise Filtration to reduce (RFI/EMI)




PROFESSIONAL EQUALIZER

31 Band Graphic Equalizer with Precise 45mm Fader, -12dB/+12dB Input Gain Range, Switchable +/-6dB or =/- 15dB Boost/Cut Ranges, 18dB/Octave 50Hz Bessel Low-Cut Filter, LED Indicators, Direct Bypass Switch, RF Filter, 3-Pin XLR, Barrier Strip, TRs Inputs and Outputs, Internal Power Supply Transformer, Frequency Response: 10Hz to 50KHz



Input Type	Electronically balance/unbalanced, RE Altered
Input Impedance	Balance 40KG, Unbalanced 70KG
Output Impedance	Balance 100 ohm, Unbalanced 50 ohm
Bandwidth	20Hz - 20KHz
Frequency Response	10Hz to 50KHz
S/N ratio	>934B
THD	<0.005%
Interchannel Crosstalk	4816B
Low out Switch	40Hr 18#8/untage Bessel high-pass Biter
Range Switch	-/-6 dB or -/- 1548 slider boost/cut range
Bypass Switch	Bypasses thru signal path
Oynamic Range	×10548
Operating Voltage	270V 50-60H/
Dimension (HxWxD)	13.4(H) x 48(W) x 20(D)sm
Net Weight	4.5Kg



Proposed Wiring Lay-Out Aguila Hall

