

REQUEST FOR QUOTATION

Company Name

Address

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____.

ANSON M. TAGTAG
Chairperson, Bids and Awards Committee

- NOTES: 1. ALL ENTRIES MUST BE TYPEWRITTEN OR PRINTED LEGIBLY.
2. DELIVERY PERIOD IS WITHIN **15** CALENDAR DAYS.
3. WARRANTY SHALL BE FOR A PERIOD OF **SIX (6) MONTHS** FOR SUPPLIES & MATERIALS/**ONE (1) YEAR** FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY.
4. PRICE VALIDITY SHALL BE VALID FOR A PERIOD OF **30** CALENDAR DAYS.
5. PHIL-GEPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION.
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED.

Title of Procurement:

Supply and Delivery of Various ICT (e.g. 1TB External HDD and 1TB SSD etc.)

Purpose:

For official use of the BPKMD

Approved Budget for the Contract (ABC):

₱172,180.00

Page 1 of 6

ITEM NO.	ITEMS/DESCRIPTIONS	QTY./	UNIT PRICE	TOTAL PRICE
1	1 TB External HDD <i>Technical Specifications:</i> Storage Capacity: 1TB Hard Disk Interface: USB 3.0 Connectivity Technology: USB Hard Disk Form: Factor 2.5 Inches Hard Output Connections	2 pcs	P_____	P_____
2	1 TB SDD <i>Technical Specifications:</i> Interface: SATA 6.0Gb/s Form Factor: 2.5-inch internal SSD Total Capacity: 1TB Sequential Read speed: Up to 550 MB/s Type of Input Protection Required 3-pole breaker Random Read IOPS: up to 75k Random Write IOPS: up to 85k Warranty: minimum 1 year	3 pcs	P_____	P_____
3	8TB INTERNAL HDD <i>Technical Specifications:</i> Storage capacity: 8TB Cache Memory Installed Size 256 Hard Disk Rotational Speed 7,200 rpm Hard Disk Form Factor 3.5 in Hardware Connectivity SATA 6.0 Gb/s Warranty: minimum 1 year	2 pcs	P_____	P_____
Continue to next page				

Brand : _____
Delivery Period : _____
Warranty : _____
Price Validity : _____

Printed Name/Signature

Tel. No./Cellphone No.

Email Address

Date

REQUEST FOR QUOTATION

Company Name

Address

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____.

ANSON M. TAGTAG

Chairperson, Bids and Awards Committee

- NOTES:
1. ALL ENTRIES MUST BE TYPEWRITTEN OR PRINTED LEGIBLY.
 2. DELIVERY PERIOD IS WITHIN 15 CALENDAR DAYS.
 3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS/ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY.
 4. PRICE VALIDITY SHALL BE VALID FOR A PERIOD OF 30 CALENDAR DAYS.
 5. PHIL-GEPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION.
 6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED.

Title of Procurement:

Supply and Delivery of Various ICT (e.g. 1TB External HDD and 1TB SSD etc.)

Purpose:

For official use of the BPKMD

Approved Budget for the Contract (ABC):

₱172,180.00

Page 2 of 6

ITEM NO.	ITEMS/DESCRIPTIONS	QTY./	UNIT PRICE	TOTAL PRICE
4	16 PORT GIGABIT SWITCH <i>Technical Specifications:</i> IEEE 802.3i, IEEE 802.3u, IEEE 802.3ab, IEEE 802.3x Interface 16 10/100/1000Mbps RJ45 Ports (Auto Negotiation/Auto MDI/MDIX) Network Media I OBASE-T: UTP category 3, 4, 5 cable (maximum 100m) IOOBASE-TX/IOOBASE-T: UTP category 5, 5e or above cable (maximum 100m) Fan Quantity: Fanless Physical Security Lock: No Power supply: 100-240VAC, 50/60Hz Power Consumption: Maximum: 9.26W (220V/50Hz) Max Power Consumption: 9.26W(220V/50Hz) Max Heat Dissipation: 31.60BTU/h Packet Forwarding Rate: 23.8Mpps Warranty: minimum 1 year	2 units	P_____	P_____
5	WIRED HEADSET <i>Technical Specifications:</i> Microphone Type: Bi-directional Input Impedance: 32 Ohm Sensitivity (headphone): 94 dBV/Pa +/- 3 dB Sensitivity (microphone): -17 dBV/Pa +/- 4 dB Frequency response (Headset): 20 Hz - 20 kHz Frequency response (Microphone): 100 1-IZ - 10 KHz CABLE LENGTH: 6.23 FT (1.9 M) Warranty Information: 2-Year Limited Hardware Warranty	15 pcs	P_____	P_____
Continue to next page				

Brand : _____
Delivery Period : _____
Warranty : _____
Price Validity : _____

Printed Name/Signature

Tel. No./Cellphone No.

Email Address

Date

REQUEST FOR QUOTATION

Company Name

Address

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____.

ANSON M. TAGTAG
Chairperson, Bids and Awards Committee

- NOTES: 1. ALL ENTRIES MUST BE TYPEWRITTEN OR PRINTED LEGIBLY.
2. DELIVERY PERIOD IS WITHIN 15 CALENDAR DAYS.
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS/ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY.
4. PRICE VALIDITY SHALL BE VALID FOR A PERIOD OF 30 CALENDAR DAYS.
5. PHIL-GEPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION.
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED.

Title of Procurement:

Supply and Delivery of Various ICT (e.g. 1TB External HDD and 1TB SSD etc.)

Purpose:

For official use of the BPKMD

Approved Budget for the Contract (ABC):

P172,180.00

Page 3 of 6

ITEM NO.	ITEMS/DESCRIPTIONS	QTY./	UNIT PRICE	TOTAL PRICE
6	MINI COMPUTER MEDIA KIT <i>Technical Specifications:</i> A 1.5GHz quad-core 64-bit ARM Cortex-A72 CPU Dual-band 2.4 GHz and 5.0 GHz IEEE 802.11 b/g/ac wireless Full-throughput Gigabit Ethernet Dual-band 802.11ac wireless networking Reach 8GB RAM Bluetooth 5.0 Two USB 3.0 and two USB 2.0 ports Dual monitor support, at resolutions up to 4K Video Core VI graphics, supporting OpenGL ES 3.x 4Kp60 hardware decode of HEVC video Complete compatibility with earlier Raspberry Pi products Raspberry Pi standard 40 pin GPIO header Warranty: 1 year PACKAGE LIST: 1 x Raspberry Pi 4 8gb 1 x Aluminum alloy case 1 x CPU fan with heat sink 1 x Small screwdriver 1 x Adapter 1 x Cable 1 x 5V 3A Power plug 1 x SD card reader 1 x 32G micro SD 3 x Heat sink	2 pcs	P_____	P_____
7	THERMAL PAD 4pc/pack <i>Technical Specifications:</i> Pad Dimension: 50x50mm, 145x145mm, 100x100mm Hardness; 50 Shore 00 Continuous Use Temperature: -40—200 oc Specific Gravity: 3.2 g/cm3 Dielectric Constant @1MHz: 13.0264 Volume Resistance: 1 X 10 ¹² Q-cm Flammability Rating: UL 94 V-0	2 packs	P_____	P_____

Continue to next page

Brand : _____
Delivery Period : _____
Warranty : _____
Price Validity : _____

Printed Name/Signature

Tel. No./Cellphone No.

Email Address

Date

REQUEST FOR QUOTATION

Company Name

Address

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____.


ANSON M. TAGTAG
Chairperson, Bids and Awards Committee

- NOTES: 1. ALL ENTRIES MUST BE TYPEWRITTEN OR PRINTED LEGIBLY.
2. DELIVERY PERIOD IS WITHIN 15 CALENDAR DAYS.
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS/ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY.
4. PRICE VALIDITY SHALL BE VALID FOR A PERIOD OF 30 CALENDAR DAYS.
5. PHIL-GEPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION.
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED.

Title of Procurement:

Supply and Delivery of Various ICT (e.g. 1TB External HDD and 1TB SSD etc.)

Purpose:

For official use of the BPKMD

Approved Budget for the Contract (ABC):

₱172,180.00

Page 4 of 6

ITEM NO.	ITEMS/DESCRIPTIONS	QTY./	UNIT PRICE	TOTAL PRICE
8	16 PORT GIGABIT MANAGED SWITCH WITH 4 GIGABIT SFP <i>Technical Specifications:</i> Acoustic: 0 dB CPU speed: 500MHz Dimensions: 280mm x 180 mm x 44mm DRAM Size: DDR3 128MB FAN: Fanless Flash Memory Size: 32 MB Humidity: Operating: 0% - 95% RH Storage: RH Interfaces: 16 x 10/100/1000BASE-T ports 4 x Combo 10/100/1 OOOBASE-T/SFP ports Max. Packet Forwarding Rate: 29.8 Mpps Maximum Heat Dissipation: 44.41 BTU/hr (240V) 44.62 BTU/hr (1 oov) MTBF: hours Operating Altitude: 1500 m Packet Buffer Size: 4.1Mbits Switch Capacity: 40 Gbps Warranty: 1 year	1 unit	P _____	P _____
9	SFP MODULE WITH 1 PORT IOOBASE-LX <i>Technical Specifications:</i> Standard: IEEE-802.3z IOOBASE-LX Fiber Media Support: Single-Mode Distance Capacity: 2km	2 pcs	P _____	P _____
Continue to next page				

Brand : _____
Delivery Period : _____
Warranty : _____
Price Validity : _____

Printed Name/Signature

Tel. No./Cellphone No.

Email Address

Date

REQUEST FOR QUOTATION

Company Name

Address

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____.

ANSON M. TASTAG

Chairperson, Bids and Awards Committee

- NOTES: 1. ALL ENTRIES MUST BE TYPEWRITTEN OR PRINTED LEGIBLY.
2. DELIVERY PERIOD IS WITHIN 15 CALENDAR DAYS.
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS/ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY.
4. PRICE VALIDITY SHALL BE VALID FOR A PERIOD OF 30 CALENDAR DAYS.
5. PHIL-GEPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION.
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED.

Title of Procurement:

Supply and Delivery of Various ICT (e.g. 1TB External HDD and 1TB SSD etc.)

Purpose:

For official use of the BPKMD

Approved Budget for the Contract (ABC):

P172,180.00

Page 5 of 6

ITEM NO.	ITEMS/DESCRIPTIONS	QTY./	UNIT PRICE	TOTAL PRICE
	Features Hot Pluggable MSA Compliant RoHS Compliant Speed: 1Gbps Connector: Duplex LC Connector Single/Bi-Directional: Single Direction Wavelength: 1310nm Output Optical Power (TX Optical Power) Max.: -3dBm Min.: -10dBm Input Optical Power (RX Optical Power) Max.: -3dBm Min.: -21dBm Sensitivity: -21 dBm Cable Type: Single-mode 9/125 um fiber, reach: 2km Warranty: 1 year			
10	8P8CR RJ45 CAT6A 100/box	2 boxes	P	P
11	8P8CR RJ45 CAT5e 100/box	2 boxes	P	P
12	Wireless Mouse	5 pcs	P	P
13	Wireless Keyboard	5 pcs	P	P
14	HDMI 2.0 5m Male to Male	3 pcs	P	P
Continue to next page				

Brand : _____
Delivery Period : _____
Warranty : _____
Price Validity : _____

Printed Name/Signature

Tel. No./Cellphone No.

Email Address

Date

REQUEST FOR QUOTATION

Company Name

Address

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____.

ANSON M. TAGTAG

Chairperson, Bids and Awards Committee

- NOTES: 1. ALL ENTRIES MUST BE TYPEWRITTEN OR PRINTED LEGIBLY.
2. DELIVERY PERIOD IS WITHIN 15 CALENDAR DAYS.
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS/ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY.
4. PRICE VALIDITY SHALL BE VALID FOR A PERIOD OF 30 CALENDAR DAYS.
5. PHIL-GEPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION.
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED.

Title of Procurement:

Supply and Delivery of Various ICT (e.g. 1TB External HDD and 1TB SSD etc.)

Purpose:

For official use of the BPKMD

Approved Budget for the Contract (ABC):

₱172,180.00

Page 6 of 6

ITEM NO.	ITEMS/DESCRIPTIONS	QTY./	UNIT PRICE	TOTAL PRICE
15	UPS <i>Technical Specifications:</i> Output Power Capacity 325 Watts / 625 VA Max Configurable Power 325 Watts / 0 VA Nominal Output Voltage 230V Efficiency at Full Load 65.3% Output Connections (3) Universal Receptacle (Battery Backup) Efficiency at Half Load 75.8% Input Nominal Input Voltage 230V Input Frequency 45 - 65 Hz Cord Length 1.22 meters Type of Input Protection Required 3-pole breaker Batteries & Runtime Battery Type Maintenance-free sealed Lead-Acid battery with suspended electrolyte: leak-proof Included Battery Modules 1 Typical recharge time 6 hour(s) Surge Protection and Filtering Warranty: 1 year Additional Requests from Procuring Entity: [] Please provide sample upon request of end-user [] Please see full specifications/attached sample design for reference. [X] Other conditions to this request, please state: <u>For more info, please contact the end-user at 0953-760-1979/8924-6031 loc. 201</u> <u>Kindly address all proposals to the Chairperson, Bids and Awards Committee</u> Contract shall be awarded to the bidder per: [] Item basis [X] Lot basis Bidders must submit the following requirements upon submission of proposal. Non-submission of these requirements shall be grounds for disqualification from the bidding process: 1. DTI/SEC Registration Certificate 2. Valid Mayor's/Business Permit 3. PHILGEPS Certificate of Registration 4. BIR Certificate of Registration (2303) 5. Sign Omnibus Sworn Statement (OSS) Important Note: -For goods, conforme of the winning bidder must be done within seven (7) calendar days upon serving of the PO. -For services, conforme of the winning bidder must be done within fourteen (14) calendar days upon serving of the JO. -Notarization of the OSS should be complied with after the award of the contract but before payment pursuant to item 6.3 of GPPB 09-2020	4 pcs	P _____	P _____
GRAND TOTAL:			P _____	

Brand : _____
Delivery Period : _____
Warranty : _____
Price Validity : _____

Printed Name/Signature

Tel. No./Cellphone No.

Email Address

Date

TECHNICAL SPECIFICATION

1. 1TB EXTERNAL HDD

Storage Capacity: 1 TB
Hard Disk Interface: USB 3.0
Connectivity Technology: USB
Hard Disk Form: Factor 2.5 Inches
Hard Disk Size: 1TB

2. 1TB SSD

Technical Specs
Interface SATA 6.0Gb/s
Form Factor 2.5-inch internal SSD
Total Capacity 1TB
Sequential Read speed Up to 550 MB/s
Sequential Write speed Up to 500 MB/s
Random Read IOPS up to 75k
Random Write IOPS up to 85k
Warranty: minimum 1 year

3. 8 TB INTERNAL HARDDRIVE

Storage capacity: 8TB
Cache Memory Installed Size 256
Hard Disk Rotational Speed 7,200 rpm
Hard Disk Form Factor 3.5 in
Hardware Connectivity SATA 6.0 Gb/s
Warranty: minimum 1 year

4. 16 PORT GIGABIT SWITCH

HARDWARE FEATURES

Standards and Protocols

IEEE 802.3i, IEEE 802.3u, IEEE 802.3ab , IEEE 802.3x

Interface

16 10/100/1000Mbps RJ45 Ports (Auto Negotiation/Auto MDI/MDIX)

Network Media

10BASE-T: UTP category 3, 4, 5 cable (maximum 100m)

100BASE-TX/1000BASE-T: UTP category 5, 5e or above cable (maximum 100m)

Fan Quantity : Fanless

Physical Security Lock : No

Power Supply : 100-240VAC, 50/60Hz

Power Consumption : Maximum: 9.26W (220V/50Hz)

Max Power Consumption : 9.26W(220V/50Hz)

Max Heat Dissipation : 31.60BTU/h

PERFORMANCE

Switching Capacity : 32Gbps

Packet Forwarding Rate : 23.8Mpps

Warranty: 1 year

5. HEADSET

Technical Specifications

Microphone Type: Bi-directional

Input Impedance: 32 Ohm

Sensitivity (headphone): 94 dBV/Pa +/- 3 dB

Sensitivity (microphone): -17 dBV/Pa +/- 4 dB

Frequency response (Headset): 20 Hz - 20 kHz

Frequency response (Microphone): 100 Hz - 10 KHz

CABLE LENGTH: 6.23 FT (1.9 M)

Warranty Information

2-Year Limited Hardware Warranty

6. MINI COMPUTER MEDIA KIT

Technical Specs

A 1.5GHz quad-core 64-bit ARM Cortex-A72 CPU

Dual-band 2.4 GHz and 5.0 GHz IEEE 802.11b/g/n/ac wireless

Full-throughput Gigabit Ethernet

Dual-band 802.11ac wireless networking

Reach 8GB RAM

Bluetooth 5.0

Two USB 3.0 and two USB 2.0 ports

Dual monitor support, at resolutions up to 4K

Video Core VI graphics, supporting OpenGL ES 3.x

4Kp60 hardware decode of HEVC video

Complete compatibility with earlier Raspberry Pi products

Raspberry Pi standard 40 pin GPIO header

Warranty: 1 year

PACKAGE LIST:

1 x Raspberry Pi 4 8gb

1 x Aluminum alloy case

1 x CPU fan with heat sink

1 x Small screwdriver

1 x Adapter

1 x Cable

1 x 5V 3A Power plug

1 x SD card reader

1 x 32G micro SD

3 x Heat sink

7. THERMAL PAD

Pad Dimension: 50x50mm, 145x145mm , 100x100mm

Hardness: 50 Shore OO

Continuous Use Temperature: -40~200 °C

Specific Gravity: 3.2 g/cm³

Dielectric Constant @1MHz: 13.0264

Volume Resistance: 1 X 10¹² Ω-cm

Flammability Rating: UL 94 V-0

8. 16 PORT GIGABIT MANAGED SWITCH WITH 4 GIGABIT SFP

Acoustic : 0 dB
CPU Speed : 500MHz
Dimensions : 280mm x 180 mm x 44mm
DRAM Size : DDR3 128MB
FAN : Fanless
Flash Memory Size : 32 MB
Humidity : Operating: 0% - 95% RH
Storage: 0% - 95% RH
Interfaces : 16 x 10/100/1000BASE-T ports
4 x Combo 10/100/1000BASE-T/SFP ports
Max. Packet Forwarding Rate : 29.8 Mpps
Maximum Heat Dissipation : 44.41 BTU/hr (240V)
44.62 BTU/hr (100V)
MTBF : 1,087,100 hours
Operating Altitude : 1500 m
Packet Buffer Size : 4.1Mbits
Switch Capacity : 40 Gbps
Warranty: 1 year

9. SFP MODULE WITH 1 PORT 1000BASE-LX

Standard: IEEE-802.3z 1000BASE-LX
Form Factor Type: SFP
Fiber Media Support: Single-Mode
Distance Capacity: 2km
Features
Hot Pluggable
MSA Compliant
RoHS Compliant
Speed: 1Gbps
Connector: Duplex LC Connector
Single/Bi-Directional: Single Direction
Wavelength: 1310nm
Output Optical Power (TX Optical Power)
Max.: -3dBm
Min.: -10dBm
Input Optical Power (RX Optical Power)
Max.: -3dBm
Min.: -21dBm
Sensitivity: -21dBm
Cable Type: Single-mode 9/125 um fiber, reach: 2km
Warranty: 1 year

10. Back-UPS 625VA

Output

Output Power Capacity 325 Watts / 625 VA

Max Configurable Power 325 Watts / 0 VA

Nominal Output Voltage 230V

Efficiency at Full Load 65.3%

Output Connections

(3) Universal Receptacle (Battery Backup)

Efficiency at Half Load 75.8%

Input

Nominal Input Voltage 230V

Input Frequency 45 - 65 Hz

Cord Length 1.22 meters

Type of Input Protection Required 3-pole breaker

Batteries & Runtime

Battery Type

Maintenance-free sealed Lead-Acid battery with suspended electrolyte : leakproof

Included Battery Modules 1

Typical recharge time 6 hour(s)

Surge Protection and Filtering

Warranty 1 year